

ENUMERATION OF INDIAN FLOWERING PLANTS III*

S. K. MUKERJEE

Keeper, Central National Herbarium,
Botanical Survey of India, Shibpur

XV DELPHINIUM L.

Delphinium aitchisonii HuthHuth, *Bot. Jb.*, **20** : 395, 1894.

Distrib.: Kashmir.

Delphinium ajacis L.Linn., *Sp. Pl.* 531, 1753; Huth, *Bot. Jb.*, **20** : 374, 1894; Finet & Gagnep., *Bull. Soc. bot. Fr.* **51** : 476, 1904.Syn. *D. ajacis* var. *brevipes* Rouy et Forec., *Fl. Fr.* **1** : 131, 1893; *D. ajacis* var. *minus* & var. *perversum* Huth, *Bot. Jb.*, **20** : 374, 1894. *D. pauciflorum* D. Don, *Fl. Nep.* 196, 1825.

Distrib.: N. W. India, W. Asia, S. Europe, Central America: cultivated in almost all countries.

Delphinium ajacis var. *brevipes* Rouy et Forec.

SEE

D. ajacis L.*Delphinium ajacis* var. *minus* Huth

SEE

D. ajacis L.*Delphinium ajacis* var. *orientale* Finet & Gagnep.

SEE

D. orientale Gay.*Delphinium altissimum* Wall.Wall., *Bl. As. Rar.* **2** : 25, 1831; Hk. f. & Thoms., *Fl. Ind.* **51**, 1855; Hk. f., *F.B.I.* **1** : 26, 1872; Huth, *Bot. Jb.* **20** : 419, 1894; Finet & Gagnep., *Bull. Soc. bot. Fr.* **51** : 492, 1904.Syn. *D. altissima* ssp. *wallichii* var. *nipalensis* & var. *phallutensis*. Brühl, *Ann. R. bot. Gdn. Calcutta*, **5** : 101, 1895. *D. altissima* var. *wallichii* Huth, *Bot. Jb.*, **20** : 419, 1894.

Distrib.: Nepal, Sikkim.

Delphinium altissima var. *wallichii* Huth

SEE

D. altissimum Wall.*Delphinium altissima* ssp. *wallichii* var. *nipalensis* Brühl

SEE

D. altissimum Wall.*Delphinium altissima* ssp. *drepanocentrum* Brühl

SEE

D. umbrosum var. *drepanocentrum* Chowdhury*Delphinium altissima* var. *drepanocentrum* Brühl ex Huth

SEE

D. umbrosum var. *drepanocentrum* Chowdhury*Delphinium aureopilosum* Chowdhury

Chowdhury (Mss.).

Distrib.: E. Nepal, Sikkim, Tibet.

Delphinium brunonianum RoyleRoyle, *Ill.*, 56, 1839; Hk. f. & Thoms., *Fl. Ind.* **53**, 1855; Hk. f., *F.B.I.*, **1** : 27, 1872; *Bot. Mag. t.*, 5461, 1864; Huth, *Bot. Jb.*, **20** : 392, 1894; Finet & Gagnep., *Bull. Soc. bot. Fr.*, **51** : 493, 1904.Syn. *D. brunonianum* var. *aitchisoni* Huth & var. *schlagintweitii* Huth, *Bot. Jb.*, **20** : 392, 1894; *D. jacquemontianum* Camb., in Jacq., *Voy. Bot.*, **4** : 8, t. 7, 1844.

Distrib.: N. W. Himalaya; Afghanistan, Turkestan.

Delphinium brunonianum var. *aitchisoni* Huth

SEE

D. brunonianum Royle*Delphinium brunonianum* var. *densa* Maxim.

SEE

D. densiflorum Duthie ex Maxim.*Delphinium brunonianum* var. *schlagintweitii* Huth

SEE

D. brunonianum Royle*Delphinium camaonense* Huth

SEE

D. kumaonense Huth*Delphinium candelabrum* Osted. f.Osted. f., in Hedin., *S. Tibet.*, **6**(3): 8, 1922.

Distrib.: Chumbi & Phari; Kambajong.

Delphinium candelabrum var. *bhotanica* Brühl

SEE

D. candelabrum var. *corymbosum* Brühl ex Huth*Delphinium candelabrum* var. *1. corymbosum* Brühl ex HuthHuth, *Bot. Jb.*, **20** : 464, 1894.Syn. *D. candelabrum* var. *bhotanica* Brühl, *Ann. R. bot. Gdn. Calcutta*, **5** : 99, 1895.

Distrib.: Bhootan, S.E. Tibet.

Delphinium candelabrum var. *2. tenuicaule* Brühl ex HuthHuth, *Bot. Jb.*, **20** : 464, 1894.Syn. *D. grandiflorum* var. *Tenuicaulis* Brühl., *Ann. R. bot. Gdn. Calcutta*, **5** : 98, 1895.

Distrib.: E. Himalaya.

* Continued from *Bull. Bot. Surv. India*, **2** (1 & 2): pp. 99-107, 1960.

- Delphinium cheilanthum* Fisch. ex DC.
DC., *Prod.* 1 : 53, 1824.
The typical variety has not yet been found in India.
- Delphinium cheilanthum* Fisch. ex DC. ssp. *schizophyllum* Brühl
Brühl, *Ann. R. bot. Gdn. Calcutta*, 5 : 99, 1895.
Distrib.: Kumaon.
- Delphinium conocentrum* Chatterjee
SEE
D. trilobatum Huth
- Delphinium dasycaulon* Fresn.
Fresn., *Mus. Senkenb.*, 2 : 272, 1837 ; Hk. f. & Thoms., *Fl. Ind.*, 50, 1855 ; Hk. f., *F.B.I.*, 1 : 25, 1872 ; Huth, *Bot. Jb.*, 20 : 435, 1895 ; Finet & Gagnep., *Bull. Soc. bot. Fr.*, 51 : 481, 1904.
Distrib.: Deccan ; Abyssinia.
- Delphinium dasycaulon* var. *malabaricum* Huth
Huth, *Bot. Jb.*, 20 : 435, 1895.
Distrib.: Concan.
- Delphinium densiflorum* Duthie ex Maxim.
Maxim., *Fl. Tangu.*, 24, 1889 (in synonym) ; Huth, *Bot. Jb.*, 20 : 1895 ; Brühl, *Ann. R. bot. Gdn. Calcutta*, 5 : 102, 1895.
Syn. *D. densiflorum* var. *platycentra* Brühl & var. *stenocarpa* Brühl, *Ann. R. bot. Gdn. Calcutta*, 5 : 103, 1895 ; *D. brunonianum* var. *densa* Max. *Fl. Tangu.* 24, 1889.
Distrib.: N.W. Himalaya ; Tibet.
- Delphinium densiflorum* var. *platycentra* Brühl
SEE
D. densiflorum Duthie ex Maxim.
- Delphinium densiflorum* var. *stenocarpa* Brühl
SEE
D. densiflora Duthie ex Maxim.
- Delphinium elatum* var. *incisum* Hook. f. & Thoms.
SEE
D. englerianum Huth var. *incisum* Huth
- Delphinium elatum* var. *ranunculifolium* Hook. f. & Thoms.
SEE
D. speciosum var. *pyramidale* Mukerjee
- Delphinium englerianum* Huth var. *incisum* Huth
Huth, *Bot. Jb.*, 20 : 419, 1895.
Syn. *D. elatum* L. var. *incisum* Hook. f. & Thoms., *Hook. f., F.B.I.*, 1 : 26, 1872.
Distrib.: Kumaon.
- Delphinium glaciale* Hook. f. & Thoms.
Hk. f. & Thoms., *Fl. Ind.*, 53, 1855 ; Hk. f., *F.B.I.*, 1 : 27, 1872 ; Huth, *Bot. Jb.*, 20 : 394, 1895 ; Finet & Gagnep., *Bull. Soc. bot. Fr.*, 51 : 493, 1904.
Distrib.: Alpine W. Himalaya.
- Delphinium grandiflorum* var. *tenuicaules* Brühl
SEE
D. candelabrum Ostev. f. var. *tenuicaule* Brühl ex Huth
- Delphinium himalayense* Chowdhury sp. nov.
Chowdhury (Mss.)
Distrib.: Nainital.
- Delphinium incanum* Royle
Royle, *Ill.*, 55, 1839 ; Hk. f. & Thoms. ; *Fl. Ind.*, 50, 1855 ; Hk. f., *F.B.I.*, 1 : 25, 1872 ; Huth, *Bot. Jb.*, 20 : 434, 1895 ; Finet et Gagnep., *Bull. Soc. bot. Fr.*, 51 : 475, 1904.
Distrib.: Temperate W. Himalaya.
- Delphinium jacquemontianum* Camb.
SEE
D. brunonianum Royle
- Delphinium kingianum* Brühl ex Huth
Huth, *Bot. Jb.*, 20 : 469, 1895.
Syn. *D. pachycentrum* Hemsl. ssp. *tsangensis* Brühl var. *dasycarpa* Brühl, *Ann. R. Bot. Gdn. Calcutta*, 5 : 108, 1895.
Distrib.: N. Sikkim.
- Delphinium kingianum* var. *leiocarpa* (Brühl) Mukerjee comb. nov.
Basinym: *D. pachycentrum* Hemsl. ssp. *tsangensis* Brühl var. *leiocarpa* Brühl, *Ann. R. bot. Gdn. Calcutta*, 5 : 108, 1895.
Distrib.: N. Sikkim.
- Delphinium kumaonense* Huth
Huth, *Bull. Herb. Boiss.*, 1 : 333, 1895.
Syn. *D. camaonense* Huth, *Bot. Jb.*, 20 : 460, 1895.
Distrib.: W. Himalaya.
- Delphinium lacosti* Dang
Dang, *J. Bot.*, 21 : 50, 1908.
Distrib.: Kashmir ; C. Asia.
- Delphinium ludowianum* Chowdhury sp. nov.
Chowdhury (Mss.)
Distrib.: Sikkim.
- Delphinium nepalense* Kitamura et Tamura
Kitamura et Tamura, *Acta Phytotax. Geobot.*, 15 : 129, 1954 ; et in Kihara, Fn. & *Fl. Nep. Him.*, 1 : 128, 1955.
Distrib.: Nepal.
- Delphinium micropetalum* Finet et Gagnep. ssp. *confusum* Chowdhury
Chowdhury (Mss.)
Distrib.: Kashmir ; Tibet.
- Delphinium orientale* Gay
Gay, *Desm. Cat. Dord.* 12, 1839, Huth, *Bot. Jb.*, 20 : 375, 1895.
Syn. *D. ajacis* L. var. *orientale* Finet et Gagnep., *Bull. Soc. bot. Fr.*, 51 : 467, 1904.
Distrib. N.W. Himalaya, W. Asia.
- Delphinium pachycentrum* Hemsl. ssp. *tsangensis* Brühl var. *dasycarpa* Brühl
SEE
D. kingianum Brühl ex Huth
- Delphinium pachycentrum* Hemsl. ssp. *tsangensis* Brühl var. *leiocarpa* Brühl
SEE
D. kingianum Brühl ex Huth var. *leiocarpa* Mukerjee

Delphinium pauciflorum Don

SEE

D. ajacis L.

Delphinium penicillatum Hook. f. & Thoms.

SEE

D. uncinatum Hook. f. & Thoms.

Delphinium pulchellum Chowdhury

Chowdhury (Mss.).

Distrib.: Kashmir.

Delphinium pyramidale Royle

SEE

D. speciosum M. Bieb. var. *pyramidale* Mukerjee

Delphinium saniculifolium Hook. f. & Thoms. non Boiss.

SEE

D. saniculifolium Boiss. var. *kohatense* Brühl ex Huth

Delphinium saniculifolium Boiss. var. *kohatense* Brühl ex Huth

Huth, *Bot. Jb.*, 20 : 427, 1895.

Syn. *D. saniculifolium* ssp. *verum* Brühl var. *kohatensis* Brühl *Ann. R. bot. Gdn. Calcutta*, 5 : 95, 1895.

D. saniculifolium Hook. f. & Thoms., *Fl. Ind.* 49, 1855 non Boiss.; Hk. f., *F.B.I.*, 1 : 25, 1872.

Distrib.: Punjab, Westwards to Afghanistan.

Delphinium saniculifolium Boiss. ssp. *verum* Brühl var. *kohatensis* Brühl

SEE

D. saniculifolium Boiss. var. *kohatense* Brühl ex Huth

Delphinium schlagintweiti Huth

Huth, *Bull. Herb. Boiss.*, 1 : 329, 1893; *Bot. Jb.*, 20 : 391, 1895.

Distrib.: Kashmir.

Delphinium rectivenium Royle

SEE

D. vestitum Wall. ex Royle

Delphinium speciosum M. Bieb.

M. Bieb., *Fl. Taur. Cauc.*, 2 : 12, 1808.

The true species has not been found in India.

Delphinium speciosum M. Bieb. var. *bruhlianum* Huth

SEE

D. speciosum var. *pyramidale* (Royle) Mukerjee

Delphinium speciosum M. Bieb. var. *pyramidale* Mukerjee Comb. nov.

Syn. *D. speciosum* var. *bruhlianum* Huth et var. *ranunculifolium* (Wall. ex Hook. f. et Thoms.) Huth, *Bot. Jb.*, 20 : 416, 1895; *D. speciosum* ssp. *ranunculifolium* Brühl including all varieties in *Ann. R. bot. Gdn. Calcutta*, 5 : 105, 1895; *D. pyramidale* Royle, *Ill.*, 56, 1839; *D. elatum* L. var. *ranunculifolium* Hook. f. & Thoms., in Hk. f., *F.B.I.*, 1 : 26, 1872.

Distrib.: Kumaon to Kashmir; W. Tibet.

Delphinium speciosum M. Bieb. ssp. *ranunculifolium* Brühl

SEE

D. speciosum var. *pyramidale* Mukerjee

Delphinium speciosum M. Bieb. var. *ranunculifolium* Huth

SEE

D. speciosum var. *pyramidale* Mukerjee

Delphinium stapeliosum Brühl ex Huth

Huth, *Bot. Jb.*, 20 : 419, 1895; Brühl, *Ann. R. bot. Gdn. Calcutta*, 5 : 102, 1895.

Syn. *D. stapeliosum* var. *khasiana* Brühl, *Ann. R. Bot. Gdn. Calcutta*, 5 : 102, 1895.

Delphinium stapeliosum var. *khasianum* Brühl

SEE

D. stapeliosum Brühl ex Huth

Distrib.: Assam.

Delphinium trilobatum Huth, *Ann. Bull. Herb. Boiss.*, 1 : 330, 1895.

Syn. *D. conocentrum* Chatterjee, *Kew Bull.*, 57, 1948.

Distrib.: Sikkim, Nepal.

Delphinium umbrosum Hand.-Mazz.

Hand.-Mazz., *Symb. Sin.*, 7 : 278, 1931.

The true species has not been found in India.

Delphinium umbrosum Hand.-Mazz. ssp. *drepanocentrum* (Brühl ex Huth) Chowdhury

Chowdhury, (Mss.).

Syn. *D. altissima* Wall. var. *drepanocentrum* Brühl ex Huth, *Bot. Jb.*, 20 : 419, 1895; *D. altissima* Wall. ssp. *drepanocentrum* Brühl, *Ann. R. bot. Gdn. Calcutta*, 5 : 101, 1895.

Distrib.: Border of Nepal and Sikkim.

Delphinium uncinatum Hook. f. & Thoms.

Hk. f., *F.B.I.*, 1 : 24, 1872; Huth, *Bot. Jb.*, 20 : 424, 1895; Brühl, *Ann. R. bot. Gdn. Calcutta*, 5 : 93, 1895; Finet et Gagnep. *Bull. Soc. bot. Fr.*, 51 : 474, 1904.

Syn. *D. penicillatum* Hook. f. & Thoms., *Fl. Ind.* non Boiss.; *D. uncinatum* Hook. f. & Thoms. var. *pseudovestita* Brühl, *Ann. R. bot. Gdn. Calcutta*, 5 : 94, 1895; *D. vestitum* Boiss., *Fl. Or.*, 1 : 92, 1867.

Distrib.: Punjab, westwards to Beluchistan.

Delphinium uncinatum Hook. f. & Thoms. var. *pseudovestita* Brühl

SEE

D. uncinatum Hook. f. & Thoms.

Delphinium vestitum Boiss. non Wall. ex Royle

SEE

D. uncinatum Hook. f. & Thoms.

Delphinium vestitum Wall. ex Royle

Royle, *Ill.*, 55, 1839; Hk. f. & Thoms., *Fl. Ind.*, 52, 1855; Hook f., *F.B.I.*, 1 : 26, 1872; Huth, *Bot. Jb.*, 20 : 414, 1895; Finet et Gagnep., *Bull. Soc. bot. Fr.*, 51 : 492, 1904.

Syn. *D. rectvenium* Royle, *Ill.*, 56, 1839.

Distrib.: N.W. Himalaya, Nepal.

Delphinium vestitum Wall. ex Royle var. *sphenolobum* Brühl ex Huth

Huth, *Bot. Jb.*, 20 : 415, 1895.

Distrib.: N.W. Himalaya.

Delphinium viscosum Hook f. & Thoms.

Hk. f. Thoms., *Fl. Ind.*, 52, 1855; Hook. f., *F.B.I.*, 1 : 27, 1872; Huth, *Bot. Jb.*, 20 : 401, 1895; Finet et Gagnep., *Bull. Soc. bot. Fr.*, 51 : 493, 1904.

Syn. *D. viscosum* var. *ciliata* & var. *connatus* Brühl,

Ann. R. bot. Gdn. Calcutta., 5 : 104, 1895.

Distrib. : Nepal, Sikkim.

Delphinium viscosum Hook. f. & Thoms. var. *chryso-trichum* Brühl ex Huth

Huth, *Bot. Jb.*, 20 : 401, 1894 ; Brühl, *Ann. R. bot. Gdn. Calcutta*, 5 : 104, 1895.

Distrib. : Nepal, Sikkim.

Delphinium viscosum Hook. f. & Thoms. var. *ciliata* Brühl

SEE

D. viscosum Hook. f. & Thoms.

Delphinium viscosum Hook. f. & Thoms. var. *connatus* Brühl

SEE

D. viscosum Hook. f. & Thoms.

Delphinium viscosum Hook. f. & Thoms. var. *giganto-bracteum* Brühl ex Huth

Huth, *Bot. Jb.*, 20 : 401, 1895 ; Brühl, *Ann. R. bot. Gdn. Calcutta*, 5 : 104, 1895.

Distrib. : Sikkim, Chumbi.

XVI AQUILEGIA L.

Aquilegia afghanica Brühl ex Durand & Jackson Index Kew. Suppl., 1 : 34, 1902 ; Munz, *Gentes Herb.*, 7 : 90, 1946.

Syn. *A. vulgaris* ssp. *moorcroftiana* var. *afghanica* Brühl, *J. asiat. Soc. Beng.*, 61(2) : 307, 1893.

Distrib. : Kashmir (?) ; Afghanistan.

Aquilegia fragrans Benth., *Maund Botanist*, 4 : t. 181, 1840 ; Munz, *Gentes Herb.*, 7 : 87, 1946.

Syn. *A. vulgaris* ssp. *moorcroftiana* var. *fragrans* Brühl, *J. asiat. Soc. Beng.*, 61(2) : 305, 1893. *A. kanaoriensis* var. *suaveolens* Camb., Jacquem. *Voy. Bot.*, 7, 1844. *A. vulgaris* ssp. *moorcroftiana* var. *suaveolens* Brühl, *J. asiat. Soc. Beng.*, 61(2) : 309, 1893. *A. suaveolens* Brühl ex Durand & Jackson Index Kew Suppl., 1 : 34, 1902. *A. glauca* Lindl., *Bot. Reg.*, 26 : t. 46, 1840. *A. vulgaris* ssp. *moorcroftiana* var. *glauca* Brühl, *J. asiat. Soc. Beng.*, 61(2) : 306, 1893. *A. glauca* var. *himalayica* Rapaics, *Bot. Kotzlem.*, 8 : 132, 1909. *A. vulgaris* ssp. *alpina* Hook. f. et Thoms., Hk. f., F.B.I., 1 : 24, 1872. *A. vulgaris* ssp. *alpina* var. *himalayica* Brühl, *J. asiat. Soc. Beng.*, 61(2) : 294, 1893. *A. vulgaris* var. *pyrenaica* Hook. f. et Thoms., Hk. f., F.B.I., 1 : 24, 1872 in part.

Distrib. : Punjab, Kashmir at about 3000 mtr.

Aquilegia glauca Lindl.

SEE

A. fragrans Benth.

Aquilegia glauca var. *himalayica* Rapaics.

SEE

A. fragrans Benth.

Aquilegia glauca var. *nivalis* Baker

SEE

A. nivalis Falc. ex Baker

Aquilegia kanaoriensis Jack. ex Camb.

SEE

A. moorcroftiana Wall. ex Royle

Aquilegia kanaoriensis var. *suaveolens* Camb.

SEE

A. fragrans Benth.

Aquilegia kareliniana C.A. Mey ex Trautv. in Act. Hort. Petropolitani, 8 : 53, 1883 ; Munz, *Gentes Herb.*, 7 : 59, 1946.

Syn. *A. vulgaris* var. *karelinii* Baker, *Gdnrs' Chron.*, 2(10) : 76, 1878 ; Brühl, *J. asiat. Soc. Beng.*, 61(2) : 288, 1893. *A. karelinii* O. & B. Fedtsch. *Ranunc. Typkectaha* 65, 1899.

A. sternbergii Kar. & Kir., *Bull. Soc. Nat. Mosc.*, 15 : 135, 1842, non Reichb.

Distrib. : Gurhwal ; Central and N. Asia.

Aquilegia karelinii O. & B. Fedtsch.

SEE

A. kareliniana C.A. Mey ex Trautv.

Aquilegia moorcroftiana Wall. ex Royle Ill., 55, 1834. Munz., *Gentes Herb.*, 7 : 88, 1946.

Syn. *A. vulgaris* ssp. *moorcroftiana* Brühl, *J. asiat. Soc. Beng.*, 61(2) : 304, 1893. *A. moorensieniana* Steud. *Nom. Ed.*, 2, 1 : 115, 1840. *A. kanaoriensis* Jacq. ex Camb., Jacq. *Voy. Bot.*, 7 : t. 5, 1844. *A. vulgaris* ssp. *moorcroftiana* var. *kanaorensis* et *Wallichiana* Brühl, *J. asiat. Soc. Beng.*, 61(2) : 306, 1893. *A. vulgaris* ssp. *moorcroftiana* var. *subaphylla* Brühl, *J. asiat. Soc. Beng.*, 61(2) : 307, 1893. *A. vulgaris* ssp. *pyrenaica* Hook f. & Thoms., Hk. f., F.B.I., 1 : 24, 1872 in part. *A. vulgaris* ssp. *viscosa* Hook f. & Thoms., Hk. f., F.B.I., 1 : 24, 1872 non Gouan. *A. vulgaris* ssp. *vulgaris* Hook f. & Thoms., Hk. f., F.B.I., 1 : 24, 1872 non Linn.

Distrib. : N.W. Himalaya ; Tibet.

Aquilegia moorensieniana Steud.

SEE

A. moorcroftiana Wall.

Aquilegia nivalis Falc. ex Baker, *Gdnrs' Chron.*, 2(10) : 76, 1878. (in Syn.) ; Jack. Index Kew., 1 : 167. (1893) ; Brühl, *J. asiat. Soc. Beng.*, 61(2) : 300, 1893 ; Munz, *Gentes Herb.*, 7 : 24, 1946.

Syn. *A. glauca* var. *nivalis* Baker, *Gdnrs' Chron.*, 2(10) : 76, 1878. *A. nivalis* var. *paradoxa* et var. *saccocentra* Brühl, *J. asiat. Soc. Beng.*, 61(2) : 301, 1893. *A. vulgaris* ssp. *jucunda* Hook. f. & Thoms., Hk. f., F.B.I., 1 : 24, 1872 non Fisch & Lallemand.

Distrib. : Kashmir.

Aquilegia nivalis var. *paradoxa* Brühl

SEE

A. nivalis Falc. ex Baker

Aquilegia nivalis var. *saccocentra* Brühl

SEE

A. nivalis Falc. ex Baker

Aquilegia pubiflora Wall. ex Royle Ill., 55, 1834 ; Brühl, *J. asiat. Soc. Beng.*, 61(2) : 310, 1893 ; Munz, *Gentes Herb.*, 7 : 43, 1946.

Syn. *A. vulgaris* var. *pubiflora* Walp. *Ann.*, 4 : 25,

1857. *A. vulgaris* ssp. *pubiflora* Hook. f. & Thoms., Hk. f., F.B.I., 1 : 24, 1872. *A. pubiflora* var. *subnuda* Brühl, *J. asiat. Soc. Beng.*, 61(2):311, 1893.

Distrib. : Punjab, Kashmir.

Aquilegia pubiflora var. *cunninghami* Brühl

SEE

A. pubiflora var. *mussooriensis* Royle

Aquilegia pubiflora var. *massurilensis* Brühl

SEE

A. pubiflora var. *mussooriensis* Royle

Aquilegia pubiflora var. *mussooriensis* Royle Ill., 55, 1834 ; Munz, *Gentes Herb.*, 7 : 44, 1946.

Syn. *A. pubiflora* var. *massurilensis* et *cunninghami* Brühl, *J. asiat. Soc. Beng.*, 61(2):311, 1893.

Distrib. : N.W. Himalaya, Afghanistan.

Aquilegia pubiflora var. *subnuda* Brühl

SEE

A. pubiflora Wall. ex Royle

Aquilegia sternbergii Kar. & Kir.

SEE

A. kareliniana C.A. Mey ex Trautv.

Aquilegia suaveolens Brühl ex Durand & Jackson

SEE

A. fragrans Benth.

Aquilegia vulgaris ssp. *alpina* Hook f., et Thoms.

SEE

A. fragrans Benth.

Aquilegia vulgaris ssp. *alpina* var. *himalayica* Brühl

SEE

A. fragrans Benth.

Aquilegia vulgaris ssp. *jucunda* Hook f. et Thoms.

SEE

A. nivalis Falc. ex Baker

Aquilegia vulgaris ssp. *moorcroftiana* var. *afghanica* Brühl

SEE

A. afghanica Brühl ex Durand & Jackson

Aquilegia vulgaris ssp. *moorcroftiana* var. *fragrans* Brühl

SEE

A. fragrans Benth.

Aquilegia vulgaris ssp. *moorcroftiana* var. *glauca* Brühl

SEE

A. fragrans Benth.

Aquilegia vulgaris ssp. *moorcroftiana* var. *kanaorensis* Brühl

SEE

A. moorcroftiana Wall. ex Royle

Aquilegia vulgaris ssp. *moorcroftiana* var. *suaveolens* Brühl

SEE

A. fragrans Benth.

Aquilegia vulgaris ssp. *moorcroftiana* var. *subaphylla* Brühl

SEE

A. moorcroftiana Wall. ex Royle

Aquilegia vulgaris ssp. *moorcroftiana* var. *wallichii*

SEE

A. moorcroftiana Wall. ex Royle

Aquilegia vulgaris ssp. *pubiflora* Hook. f. et Thoms.

SEE

A. pubiflora Wall. ex Royle

Aquilegia vulgaris ssp. *vulgaris* Hook. f. et Thoms., non Linn.

SEE

A. moorcroftiana Wall. ex Royle

Aquilegia vulgaris var. *Karelinii* Baker

SEE

A. kareliniana C.A. Mey ex Trautv.

Aquilegia vulgaris var. *pubiflora* Walp.

SEE

A. pubiflora Wall. ex Royle

Aquilegia vulgaris var. *pyrenaica* Hook. f. et Thoms.

SEE

A. fragrans Benth. et *A. kareliniana* Mey ex Trautv.