BOBSI

Vol. I. No. 1. Pp. 127-137 (1959)

OBSERVATIONS ON THE FLORA OF BOLUVAMPATTI FOREST, COIMBATORE TALUK

K. Subramanyam Regional Botanist, Botanical Survey of India Coimbatore

Introduction

The Boluvampatti reserve forests (Venkateswara Ayyar, 1935, 1939) are divided into three blocks: 1, 2 and 3 and they extend along the horse-shoe-shaped range of hills which are situated exactly to the west of Coimbatore town. At the base of this horse-shoe and facing east is Siruvani foot. Here there are settling tanks and these collect water from a narrow channel drawn from Muthukolam, which is the main source of water supply for Coimbatore town.

The foot of Siruvani is situated at a distance of 34 kms. from Coimbatore town and is easily reached by a motorable road which passes through such places as Perur, Madampatti, Puluvappatti, Alandurai, Toppilipaliam and Madhavarayapuram. River Novil flows closely parallel to this road on its northern side. Cultivated lands lie on either side of the road and the important crops grown are Sugarcane, Paddy, Cotton, Banana and some Millets. From Siruvani foot whose height is about 653 metres there is a jeepable road and foot path to Muthukolam which is situated in a ravine at the top of a group of hills. By road, the distance between Siruvani foot and Muthukolam is about 13 kms. Muthukolam is situated at an altitude of 1,000 metres. Along the road to Muthukolam and located at a height of about 967 metres is Mylon's bungalow of the Siruvani Water Supply Department.

Geology, rock and soil

In the hills of Boluvampatti reserve forest the rock formation is of Archaean age and consists principally of Nilgiri gneiss and its metamorphic variations. The gneiss is finely foliated and is composed of quartz, felspar and biotite (black mica) with an occasional admixture of garnet. Along the foot hills the soil is reddish with irregular galleries filled with yellow clay running through its mass and it has the property of hardening on exposure to the air. Though laterite in its pure form is not met on the hills, the rocks do undergo a change akin to laterite metamorphosis resulting in the formation of soil varying from pale yellow to red colour. The soil here is in the form of a sandy loam. In the plains where the crops are cultivated, we have the black cotton soil and a sandy soil along the Noyil river.

Climate

The difference in elevation between the plains and the

ghats makes appreciable variations in their climatic conditions. The maximum and minimum shade temperatures in the plains are in the neighbourhood of 37°C and 21°C. On the hills these may be 32°C and 10°C, respectively, varying somewhat with the altitude. The plains are hot and humid, though fairly equable. The hills are cooler and drier and afford a pleasant retreat during the hot months. March, April and May are the hottest months.

The prevailing winds are from the west and south-west during April to September and from the east and north-east from October to March. The western sea-breeze blows slightly in the evenings from the month of March onwards developing into the South-west Monsoon about the beginning of June.


The South-west Monsoon bursts usually in the beginning of June. The heaviest rainfalls are in July and August. These rains greatly favour weed growth and forest crop. The North-east Monsoon brings some rain in October and November and tends to prolong the season of growth. Between December and March scarcely any rain falls in the plains and on the outer hills. The average annual rainfall in the plains is between 10 cms. to 12 cms. It is more on the hills, increasing as the higher altitudes are reached. Thus the average annual rainfall at Muthukolam is about 40 cms.

Vegetation

The vegetation round about Siruvani foot is of the scrub jungle type. As we ascend towards Mylon's bungalow, we find the sub-tropical ever green forest and finally near Muthukolam we see the almost bare grassy hill tops. The gentle eastward slopes of these hills support a shola vegetation here and there. The shola feeds a number of tributaries of the Noyil river. Along the Noyil river and in some small streams near Siruvani foot aquatic plants are noticed. In the cultivated lands on either side of the road to Siruvani foot, weeds occur in plenty.

Observations

The present observations relate mainly to the flora in the Block 2 Boluvampatti reserve forest lying between 10° 55′ and 11° 00′: 76° 40′ and 76° 45′ and include the regions round about Siruvani foot, Vellapatti, Mylon's bungalow and Muthukolam. In addition, observations of the flora along the Noyil river and on



either side of the road to Siruvani foot from Coimbatore town were also made. In all a total number of eleven field trips were conducted from November, 1956 to May, 1957.

All the plants listed below have been carefully observed in the field and collected on the spot. The species included in this list are compared with specimens in our Herbarium. The classification of Bentham and Hooker is followed and the species under each family are arranged in an alphabetical manner. For each species the following data are given: locality, occurrence, flowering or fruiting stage, date of collection and finally the herbarium sheet number of the Southern Circle of the Botanical Survey of India. Every attempt has been made to bring the nomenclature up-to-date and the following papers by Chatterjee and Bharadwaja (1957), Razi (1954) and Santapau (1953, 1954 and 1955) have been particularly useful in this connection. The descriptions of the listed species are found in Gamble's Flora (1915-1936) of the Presidency of Madras.

Out of the plants listed the dominant families are Leguminosae, Compositae and Gramineae. The number of genera and species collected from these families are given in Table 1.

Family	!	No. of genera	No. of species
Leguminosae	ļ	27	33
Compositae		13	14
Gramineae		30	38

Table 1

It will be noticed from this table that the Gramineae is very well represented with the largest number of genera and species, the next in order being Leguminosae and Compositae. Among other families which have six or more species are Malvaceae, Convolvulaceae, Acanthaceae, Labiatae, Loranthaceae, Euphorbiaceae, Urticaceae and Cyperaceae. Further it will also be seen from the list that the herbs, shrubs and climbers are better represented than the trees.

It is proposed to conduct more field trips to this forest during different seasons of the year and additional lists will be published as and when data are gathered.

GLEICHENIACEAE

Dicranopteris linearis (Burm.) Underwood. On the road to Muthukolam from Mylon's bungalow, abundant, with sori (18-12-1956), 1795.

POLYPODIACEAE

Adiantum caudatum Linn. On the footpath to Mylon's bungalow from Siruvani foot, abundant, with sori (26-2-1957), 2458.

Asplenium unilaterale Linn. Along the footpath to Mylon's bungalow from Siruvani foot, common, with sori (26-2-1957), 2456.

Blechnum orientale Linn. On the road to Muthukolam from Mylon's bungalow, abundant, with sori (18-12-1956), 1793.

Lastrea octhodes Kze. Near Mylon's bungalow, common, with sori (30-5-1957), 3068.

Niphobolus adnascens Sw. On the road to Muthukolam from Mylon's bungalow, common, with sori (28-5-1957), 3054.

Pleopeltis lanceolata Linn. On the road to Muthukolam from Mylon's bungalow, common, with sori (28-5-1957), 3055.

Pteris aquilina Linn. Near Muthukolam, along the channel, common, with sori (28-5-1957), 3064.

RANUNCULACEAE

Clematis gouriana Roxb. Near Muthukolam reservoir, common, in flower (28-12-1956), 1784.

Naravelia zeylanica DC. Near foot of Siruvani, common, in flower (18-11-1956), 1776.

MENISPERMACEAE

Cocculus hirsutus (Linn.) Diels. On the road to Siruvani foot, common, in flower (28-12-1956), 1854.

Stephania japonica Miers. On the road to Muthukolam from Mylon's bungalow, few, in flower (28-5-1957), 3053...

CAPPARIDACEAE

Capparis grandis Linn. f. Near Madampatti, on the road to Siruvani foot, common, in flower (28-5-1957), 3046.

Capparis sepiaria Linn. Vellappatti near Siruvani foot, common, in flower (30-5-1957), 3087.

Capparis zeylanica Linn. On the road to Siruvani foot near Madampatti, common, in flower (15-2-1957), 2329.

Cleome monophylla Linn. By the road side near Alandurai, common, in flower (21-11-1956), 1406.

MALVACEAE

Abutilon polyandrum W. & A. On the road to and near Mylon's bungalow from Siruvani foot, common, in flower (13-11-1957), 1522.

Hibiscus furcatus Roxb. On the road to Muthukolam from Mylon's bungalow, few, in flower and fruit (18-12-1956), 1803.

Hibiscus lunariifolius Willd. Foot of Siruvani, common, in flower and fruit (13-11-1956), 1263.

Sida rhombifolia Linn. Foot of Siruvani and on the road to Mylon's bungalow, common, in flower (13-11-1956), 1271.

Urena lobata Linn. On the road to Muthukolam from Mylon's bungalow, common, in flower (7-12-1956), 1676.

BOMBACACEAE (MALVACEAE B.H. in part)

Salmalia malabarica (DC.) Schott. & Endl. Along the footpath to Siruvani foot from Mylon's bungalow, common, in flower (26-2-1957), 2459.

STERCULIACEAE

Helicteres isora Linn. Foot of Siruvani, near settling tanks, common, in flower (13-11-1956), 1255.

TILIACEAE

- Grewia disperma Rottl. Foot of Siruvani, few, in flower (13-11-1956), in fruit (18-12-1956), 1265 and 1778.
- Grewia tiliaefolia Vahl. Near Siruvani foot, abundant, in flower and fruit (28-5-1957), 3047.
- Triumfetta pilosa Roth. On the road to Mylon's bungalow and Muthukolam from Siruvani foot, common, in flower (30-11-1957), and in fruit (18-12-1956), 1540 and 1791.

OXALIDACEAE (GERANIACEAE B.H.)

Biophytum sensitivum DC. Along the footpath to Mylon's bungalow from foot of Siruvani, abundant, in fruit (13-11-1957), 1270.

RUTACEAE

- Clausena dentata (Willd.) R. & S. Along the foot path to Siruvani foot from Mylon's bungalow, common, in flower (30-5-1957), 3073.
- Glycosmis pentaphylla (Retz.) Correa. All around foot of Siruvani, abundant, in flower (21-11-1956), 1416.

SIMAROUBACEAE

Ailanthus excelsa Roxb. Near Siruvani foot, common, in flower and fruit (15-2-1957), 2346.

MELIACEAE

Melia composita Willd. Near Siruvani foot, few, in flower and fruit (15-2-1957), 2348.

OLACACEAE (=OLACINEAE B.H.)

Apodytes beddomei Mast. Near Muthukolam, rare, in flower (28-5-1957), 3065.

HIPPOCRATEACEAE (CELASTRACEAE B.H. in part)

Loeseneriella obtusifolia (Roxb.) A. C. Smith. On the road to Siruvani foot, rare, in flower (20-2-1957), 2380.

RHAMNACEAE

- Ventilago maderaspatana Gaertn. On the road to Siruvani foot, few, in flower (15-2-1957), 2330.
- Zizyphus rugosa Lamk. On the road to Mylon's bungalow from Siruvani foot, common, in flower and fruit (20-2-1957), 2392.
- Zizyphus xylopyrus Willd. Near Siruvani foot, common, in flower (30-5-1957), 3083.

LEGUMINOSAE (LOTOIDEAE)

- Aeschynomene indica Linn. By the side of a small stream on the road to Siruvani foot, common, in flower (28-12-1956), 1836.
- Alysicarpus bupleurifolius DC. Along the road to Siruvani foot, common, in flower and fruit (21-11-1956), 1391.
- Alysicarpus monilifer DC. Along the road to Siruvani, common, in flower and fruit (21-11-1956), 1392.
- Atylosia albicans Benth. Near Siruvani foot, common, in flower and fruit (18-12-1956), 1775.
- Butea monosperma (Lamk.) O. Ktze. On the road to Siruvani foot, common, in flower (15-2-1957), 2331.
- Canavalia ensiformis (Linn.) DC. On the road to Siruvani foot, common, in flower and fruit (28-12-1956), 1412.
- Crotalaria heyneana Grah. On the road to Mylon's bungalow from Siruvani foot, common, in flower and fruit (30-11-1956), 1548.
- Crotalaria juncea Linn. Along the road to Siruvani, common, in flower and fruit (21-11-1957), 1410.
- Cylista scariosa Roxb. On the road to Siruvani foot, few, in flower (15-2-1957), 2333.
- Dalbergia volubilis Roxb. On the road to Mylon's bungalow from Siruvani foot, few, in flower (20-2-1957), 2391.
- Dalbergia paniculata Roxb. Near Mylon's bungalow, few, in flower (30-5-1957), 3081.
- Derris scandens (Roxb.) Benth. Near Siruvani foot, few, in flower (30-5-1957), 3082.
- Desmodium cephalotes Wall. Along the road to Mylon's bungalow from Siruvani foot, common, in flower (7-12-1956); 1650.
- Desmodium laxiflorum DC. On the road to Mylon's bungalow and Muthukolam from Siruvani foot, common, in flower and fruit (7-12-1956), 1652.
- Desmodium triquetrum DC. On the road to Muthukolam from Mylon's bungalow, common, in flower and fruit (7-12-1956), 1670.
- Dolichos falcatus Klein. Foot of Siruvani and on the road to Mylon's bungalow, common, in flower (13-11-1956), 1257.
- Glycine javanica Linn. Along the road to Siruvani foot and on the way to Mylon's bungalow, common, in flower (21-11-1956), 1415.
- Indigofera subulata Vahl. Along the road to Mylon's bungalow, common, in flower and fruit (7-12-1956), 1649
- Moghania grahamiana (W. & A.) O. Ktze. On the road to Muthukolam from Mylon's bungalow, few, in flower (18-12-1956), 1790.
- Mucuna hirsuta W. & A. On the road to Mylon's bungalow from Siruvani foot, few, in flower (30-11-1956), 1529.
- Pseudarthria viscida W. & A. On the road to Siruvani foot, common, in flower and fruit (21-11-1956), 1408.

- Sesbania sesban (Linn.) Merr. Cultivated near villages on the road to Siruvani foot, few, in flower and fruit (21-11-1956), 1409.
- Smithia geminiflora Roth. At the mouth of Siruvani tunnel near Mylon's bungalow, common, in flower (30-10-1956), 1527.
- Uraria hamosa Wall. On the road to Mylon's bungalow from Siruvani foot, common, in flower and fruit (30-10-1956), 1514.
- Vigna wightii Benth. On the road to Muthukolam from Mylon's bungalow, common, in flower (18-12-1956), 1782.
- Zornia diphylla Pers. Along the road to Siruvani, common, in flower and fruit (21-11-1956), 1422.

LEGUMINOSAE (CAESALPINIOIDEAE)

- Caesalpinia mimosoides Lamk. On the road to Mylon's bungalow, common, in flower (13-11-1956), 1550.
- Cassia fistula Linn. On the road and around the foot of Siruvani, abundant, in flower (21-11-1956), 1414.
- Cassia tora Linn. Along the road to Siruvani foot, common, in flower and fruit (21-11-1956), 1407.

LEGUMINOSAE (MIMOSOIDEAE)

- Acacia concinna (Willd.) DC. On the road to Mylon's bungalow from Siruvani foot, common, in flower (20-2-1957), 2393.
- Albizzia lebbeck (Linn.) Benth. On the road to Siruvani foot, common, in flower (20-2-1957), 2381.
- Mimosa pudica Linn. By the road side to Siruvani foot, very common, in flower and fruit (21-11-1956), 1405.
- Pithecellobium dulce (Roxb.) Benth. Along the road to Siruvani foot, common, in flower (21-11-1956), 1417.

COMBRETACEAE

- Calycopteris floribunda Lamk. On the road to Mylon's bungalow from Siruvani foot, common, in flower (26-2-1957), 2444.
- Combretum ovalifolium Roxb. On the way to and near Siruvani foot, common, in flower (15-2-1957), 2347.
- Terminalia paniculata Roth. Near foot of Siruvani, common, in flower (18-12-1956), 1777.

LYTHRACEAE

Ammannia baccifera Linn. var. aegyptiaca Koehn. River Noyil, near Perur on the way to Siruvani foot, common, in flower (15-2-1957), 2317.

ONAGRACEAE

- Jussiaea suffruticosa Linn. In paddy fields and along streams on the road to Siruvani, very common, in flower (21-11-1956), 1398.
- Ludwigia prostrata Roxb. Noyil river near Perur, on the road to Siruvani, common, in flower and fruit (15-2-1957), 2318.

SAMYDACEAE

- Casearia esculenta Roxb. On the footpath from Mylon's bungalow to Siruvani foot, rare, in flower (30-5-1957), 3072.
- Casearia tomentosa Roxb. By the side of a stream near Siruvani foot, rare, in bud and flower (15-2-1957), 2337.

PASSIFLORACEAE

Adenia palmata Engl. Along the footpath from Mylon's bungalow to Siruvani foot, rare, in flower and fruit (26-2-1957), 2452.

CUCURBITACEAE

- Bryonopsis laciniosa (Linn.) Naud. Near Mylon's bungalow, few, in flower and fruit (30-11-1956), 1518.
- Cucumis sativus Linn. Along the road to Mylon's bungalow and on the way to Siruvani foot, few, in flower (30-11-1956), 1536.
- Melothria perpusilla Cogn. On the road to Mylon's bungalow from Siruvani foot, common, in flower and fruit (30-11-1956), 1537.

UMBELLIFERAE

- Centella asiatica Urban. On the road to Mylon's bungalow and Muthukolam from Siruvani foot, common, in flower and fruit (18-12-1956), 1792.
- Pimpinella heyneana Wall. Along the footpath and road to Mylon's bungalow from Siruvani foot, abundant, in flower and fruit (13-11-1956), 1273.

CORNACEAE

Alangium salvifolium (Linn.f.) Wang. On the road to Siruvani foot, common, in flower (20-2-1957), 2379.

RUBIACEAE

- Borreria hispida (Linn.) K. Sch. Along the road side to Siruvani, common, in flower (21-11-1956), 1402.
- Borreria ocymoides DC. Near Mylon's bungalow, common, in flower and fruit (30-11-1956), 1517.
- Ixora nigricans Br. Along the footpath from Mylon's bungalow to Siruvani foot, common, in flower (26-2-1957), 2450.
- Mitragyna parvifolia (Roxb.) Korth. Near Siruvani foot, common, in flower (28-5-1957), 3049.
- Oldenlandia auricularia (Linn.) K. Schum. Near Muthukolam, common, in flower (28-5-1957), 3058.
- Oldenlandia nitida Gamb. On the road to Mylon's bungalow from Siruvani foot, common, in flower and fruit (30-11-1956), 1547.
- Pavetta hispidula W. & A. On the footpath from Mylon's bungalow to Siruvani foot, common, in flower (30-2-1957), 3069.
- Pavetta indica Linn. Near Siruvani foot, common, in flower (28-5-1957), 3048.

- Psychotria anamallayana Bedd. Along the footpath to Siruvani foot from Mylon's bungalow, few, in flower (30-5-1957), 3074.
- Rubia cordifolia Linn. Near Mylon's bungalow, common, in flower (30-11-1956), 1519.

COMPOSITAE

- Artemisia vulgaris Linn. Near Mylon's bungalow, abundant, in flower (30-11-1956), 1516.
- Blumea lacera DC. var. glandulosa Hk. f. Noyil river bank near Perur, common, in flower and fruit (15-2-1957), 2327.
- Centrantherum anthelminticum (Willd.) Kuntze. On the road to Siruvani foot, common, in flower and fruit (28-12-1956), 1849.
- Cosmos caudatus H.B. & K. On the road to Mylon's bungalow from Siruvani foot, very common, in flower and fruit (18-12-1956), 1779.
- Dichrocephala latifolia DC. On the road to Muthukolam from Mylon's bungalow, common, in flower (28-5-1957), 3056.
- Emilia sonchifolia DC. On the road to Mylon's bungalow from Siruvani foot, common, in flower (30-11-1956), 1530.
- Siegesbeckia orientalis Linn. On the road to Muthukolam from Mylon's bungalow, common, in flower (18-12-1956), 1799.
- Sonchus arvensis Linn. Near Mylon's bungalow, common, in flower and fruit (30-11-1956), 1524.
- Sphaeranthus indicus Linn. On banks of Noyil river, Perur and on the way to Siruvani foot, common, in flower (15-2-1957), 2323.
- Spilanthes acmella Murr. On the banks of Noyil river, Perur, on the way to Siruvani foot and on the road to Muthukolam from Mylon's bungalow, common, in flower (18-12-1956), 1780.
- Syndrella nodiflora Gaertn. Along the footpath to Mylon's bungalow from Siruvani foot, common, in flower (13-11-1956), 1279.
- Vernonia cinerea Lees. On the road to Siruvani foot from Mylon's bungalow, common, in fruit (20-2-1957), 2386.
- Vernonia divergens Edg. On the road to Mylon's bungalow, common, in flower and fruit (26-2-1957), 2445.
- Xanthium strumarium Linn. On the banks of Noyil river, Perur and along the road to Siruvani, very common, in flower and fruit (21-11-1956), 1413.

LOBELIACEAE (=CAMPANULACEAE B.H.)

Lobelia alsinoides Lamk. In paddy fields along the road to Siruvani, common, in flower (21-11-1956), 1396.

MYRSINACEAE

Maesa perrottetiana A. DC. On the road to Mylon's bungalow from Siruvani foot, common, in flower (20-2-1957), 2396.

OLEACEAE

- Jasminum multiflorum (Burm.f.) Andr. Along the footpath to Siruvani foot from Mylon's bungalow, common, in flower (26-2-1957), 2454.
- Ligustrum roxburghii Cl. On the road to Muthukolam from Mylon's bungalow, few, in flower (18-12-1956), 1787.
- Linociera malabarica Wall. On the footpath to Siruvani foot from Mylon's bungalow, few, in flower (26-2-1957), 2451.

APOCYNACEAE

- Holarrhena antidysenterica Wall. Near Siruvani foot, few, in flower (30-5-1957), 3085.
- Ichnocarpus frutescens R. Br. Foot of Siruvani, in flower, common (13-11-1956), 1264.
- Lochnera pusilla (Murr.) K. Schum. In cultivated fields by the road side to Siruvani foot, common, in flower and fruit (21-11-1956), 1403.
- Wrightia tinctoria R. Br. On the road to Mylon's bungalow from Siruvani foot, common, in flower (28-5-1957), 3052.

ASCLEPIADACEAE

- Ceropegia intermedia Wt. Along the footpath to Mylon's bungalow from Siruvani foot, few, in bud and flower (13-11-1956), 1276.
- Gymnema elegans W. & A. Vellappatti, near Siruvani foot, few, in flower (30-5-1957), 3086.
- Tylophora pauciflora W. & A. Near Siruvani foot, few, in flower (15-2-1957), 2343.

LOGANIACEAE

Buddleia asiatica Lour. On the road to Mylon's bungalow from Siruvani foot, common, in flower and fruit (30-11-1956), 1528.

GENTIANACEAE

Canscora wallichii Cl. On the road to Muthukolam from Mylon's bungalow, few, in flower (7-12-1956), 1669. Exacum bicolor Roxb. On the road to Muthukolam common, in flower and fruit (18-12-1956), 1796.

HYDROPHYLLACEAE

Hydrolea zeylanica Vahl. Near Siruvani foot, common, in flower and fruit (26-2-1957), 2470.

BORAGINACEAE

Cynoglossum furcatum Wall. On the road to Muthukolam from Mylon's bungalow, common, in flower and fruit (18-12-1956), 1802,

CONVOLVULACEAE

- Calonyction bona-nox Boj. On the road to Muthukolam from Mylon's bungalow, in flower, few (18-12-1956), 1797.
- Ipomoea angulata Lamk. Foot of Siruvani, near settling tanks, in flower and fruit, common (13-11-1956), 1254.
- *Ipomoea aquatica* Forsk. In Noyil river, Perur, on the road to Siruvani foot, abundant, in flower (15-2-1957), 2316.
- Ipomoea hispida R. and S. On the road to Siruvani foot, few, in flower and fruit (28-12-1956), 1853.
- Ipomoea staphylina R. and S. On the road to Siruvani foot, common, in flower (28-12-1956), 1835.
- *Ipomoea soluta* Kerr. On the road to Siruvani foot, few, in flower (15-2-1957), 2332.
- Merremia umbellata Hall.f. Near Siruvani foot, common, in flower (15-2-1957), 2345.
- Merremia vitifolia Hall.f. Near Siruvani foot, common, in flower (26-2-1957), 2463.
- Stictocardia tiliaefolia Hall.f. On the road to Siruvani foot, common, in flower (28-12-1956), 1848.

SOLANACEAE

- Capsicum frutescens Linn. Along the footpath to Mylon's bungalow from Siruvani foot, common, in flower and fruit (13-11-1956), 1274.
- Solanum torvum Swartz. Along the road to Mylon's bungalow from Siruvani foot, common, in flower (30-11-1956), 1532.
- Solanum verbascifolium Linn. On the road to Siruvani foot and on the road to Mylon's bungalow, few, in flower and fruit (21-11-1957), 1418.

SCROPHULARIACEAE

- Lindernia angallis (Burm.) Pennell. On the banks of a small stream near Siruvani foot, common, in flower and fruit (21-11-1956), 1420.
- Lindernia cordifolia (Colsmann.) Merrill. Near Siruvani foot, common, in flower and fruit (26-2-1957), 2469.
- Scoparia dulcis Linn. On the banks of a stream near Siruvani foot, common, in flower (21-11-1956), 1419.
- Striga euphrasioides (Vahl.) Benth. In paddy fields by the side of road to Siruvani foot, common, in flower and fruit (21-11-1956), 1393.
- Torenia travancorica Gamb. On the road to Muthukolam from Mylon's bungalow, common, in flower and fruit (18-12-1956), 1798.

ACANTHACEAE

- Asteracantha longifolia Nees. Along the road to Siruvani foot, common, in flower (21-11-1956), 1389.
- Asystasia dalzelliana Santapau. On the road to Muthukolam from Mylon's bungalow, common, in flower (7-12-1956), 1668.

- Asystasia gangetica T. And. Foot of Siruvani, common, in flower (13-11-1956), 1260.
- Eranthemum montanum Roxb. On the road to Siruvani foot and Mylon's bungalow, common, in flower (15-2-1957), 2334.
- Justicia betonica Linn. Along the road to Siruvani foot, common, in flower (28-12-1956), 1843.
- Justicia wynaadensis Heyne. On the road to Mylon's bungalow from Siruvani foot, common, in flower and fruit (20-2-1957), 2389.
- Peristrophe montana Nees. On the road and footpath to Mylon's bungalow from Siruvani foot, common, in flower and fruit (20-2-1957), 2388.
- Phaulopsis dorsiflora (Retz.) Santapau. On the road to Mylon's bungalow from Siruvani foot, common, in flower (30-11-1956), 1546.
- Rhinacanthus nasuta (Linn.) Kurz. On the road to Mylon's bungalow from Siruvani foot, common, in flower (20-2-1957), 2384.
- Rungia parviflora Nees. Along the road to Mylon's bungalow from Siruvani foot, common, in flower (30-11-1956), 1535.
- Thunbergia mysorensis T. And. On the road to Muthukolam, common, in flower (18-12-1956), 1785.

VERBENACEAE

- Callicarpa tomentosa (Linn.) Murray. On the road to Muthukolam dam from Mylon's bungalow, common, in flower (7-12-1956), 1660.
- Clerodendrum infortunatum Linn. Foot of Siruvani, common, in flower (13-11-1956), 1259.
- Premna tomentosa Willd. Along the footpath to Siruvani foot from Mylon's bungalow, common, in flower and fruit (30-5-1957), 3080.

LABIATAE

- Anisomeles indica O. Ktze. On the road to Siruvani foot, common, in flower (28-12-1956), 1844.
- Colebrookea oppositifolia Sm. On the road to Muthukolam and Mylon's bungalow from Siruvani foot, common, in flower (7-11-1956) in fruit (20-2-1957), 1666 and 2395.
- Leonotis nepetaefolia R. Br. On the road to Siruvani foot, common, in flower (28-12-1956), 1852.
- Leucas chinensis R. Br. On the road to Muthukolam from Mylon's bungalow, common, in flower and fruit (18-12-1956), 1789.
- Ocimum adscendens Willd. On the foot path to Siruvani foot from Mylon's bungalow, common, in flower and fruit (26-2-1957), 2457.
- Plectranthus wightii Benth. On the road to Muthukolam from Mylon's bungalow, common, in flower (18-12-1956), 1788.
- Pogostemon pubescens Benth. On the road to Muthukolam from Mylon's bungalow, common, in flower (18-12-1956), 1783.

Pogostemon purpurascens Dalz. Near Siruvani foot, common, in flower (26-2-1957), 2467.

AMARANTHACEAE

- Achyranthes aspera Linn. On hedges and bushes on the road to Siruvani, abundant, in flower and fruit (21-11-1956), 1401.
- Alternanthera sessilis (Linn.) R. Br. On the road to Siruvani foot, common, in flower (15-2-1957), 2335.
- Banalia thyrsiflora Moq. On the road to Muthukolam from Siruvani foot, very common, in flower (7-12-1956), 1665.
- Cyathula prostrata Bl. Foot of Siruvani and on the road to Muthukolam, common, in flower and fruit (13-11-1956), 1266.
- Pupalia atropurpurea Moq. On hedges along the road to Siruvani foot, very common, in flower (21-11-1956), 1404.

CHENOPODIACEAE

Chenopodium ambrosioides Linn. On the banks of Noyil river near Perur and on the way to Siruvani foot, abundant, in flower (15-2-1957), 2324.

POLYGONACEAE

Polygonum glabrum Willd. By the side of a small stream near Siruvani foot, common, in flower (21-11-1957), 1421.

LAURACEAE

Apollonias arnottii Nees. Along the footpath to Siruvani foot from Mylon's bungalow, few, in flower (30-5-1957), 3070.

LORANTHACEAE

- Dendropthoe falcata (Linn.f.) Etting. On the road to and near Siruvani foot, common, in flower (20-2-1957), 2342.
- Dendropthoe falcata (Linn.f.) Etting. var. falcatus Kurz. On the way to Siruvani foot, common, in flower (15-2-1957), 2462.
- Helixanthera hookeriana W. & A. Near Muthukolam, few, in flower (28-5-1957), 3057.
- Scurrula philippensis (Cham. & Schlecht.) G. Don. Along the footpath to Mylon's bungalow from Siruvani foot, abundant, in flower (13-11-1956), 1273.
- Viscum angulatum Heyne ex DC. Near Muthukolam, few, in flower and fruit (28-5-1957), 3066.
- Viscum articulatum Burm. var. dichotomum Kurz. Near Siruvani foot, common, in flower and fruit (26-2-1957), 2461.

SANTALACEAE

Santalum album Linn. All around Siruvani foot, very common, in flower (28-12-1956), 1847.

EUPHORBIACEAE

- Acalypha paniculata Miq. Foot of Siruvani, abundant, in flower and fruit (13-11-1956), 1268.
- Glochidion ellipticum Wt. Along the footpath to Siruvani foot from Mylon's bungalow, few, in flower and fruit (26-2-1957), 2455.
- Mallotus albus Muell-Arg. Foot of Siruvani, near Mylon's bungalow and above, common, in flower and fruit (13-11-1956), 1262, 1551.
- Mallotus philippensis Muell-Arg. Foot of Siruvani, common, in flower and fruit (13-11-1956), 1256.
- Phyllanthus rheedii Wt. On the road to Mylon's bungalow from Siruvani foot, common, in flower and fruit (30-11-1956), 1539.
- Trewia nudiflora Linn. Near Siruvani foot, few, in flower (26-2-1957), 2464.

ULMACEAE (URTICACEAE B.H.)

Trema orientalis Bl. On the road to Mylon's bungalow from Siruvani foot, common, in flower (30-11-1956). 1544.

MORACEAE (URTICACEAE B.H.)

- Ficus asperrima Roxb. Near Mylon's bungalow, few, in flower and fruit (26-2-1957), 2447.
- Ficus hispida L.f. Near Mylon's bungalow, few, in flower and fruit (26-2-1957), 2448.
- Streblus asper Lour. On the road to Siruvani foot near Alandurai, few, in flower (28-12-1956), 1842.

URTICACEAE

- Boehmeria malabarica Wedd. On the road to Mylon's bungalow from Siruvani foot, common, in flower (26-2-1957), 2446.
- Elatostema lineolatum Wt. Along the footpath from Mylon's bungalow to Siruvani foot, common, in flower (30-5-1957), 3071.
- Fleurya interrupta Gaud. Along the foot path to Mylon's bungalow from foot of Siruvani, abundant, in flower (13-11-1956), 1269.
- Girardinia leschenaultiana Done. On the road to Muthukolam from Mylon's bungalow, common, in flower (7-12-1956), 1661.
- Pouzolzia zeylanica (Linn.) Benn. Along the foot path and road to Mylon's bungalow from Siruvani foot, common, in flower (13-11-1956), 1545.

HYDROCHARITACEAE

Ottelia alismoides Pers. In a small stream on the road to Siruvani foot, few, in flower (28-12-1956), 1838.

ORCHIDACEAE

Dendrobium macrostachyum Lindl. Epiphytic on trees along the foot path from Mylon's bungalow to Siruvani foot, few, in flower (30-5-1957), 3076.

ZINGIBERACEAE (SCITAMINEAE B.H.)

- Amomum cannaecarpum Benth. On the foot path from Mylon's bungalow to Siruvani foot, very common, in flower (30-5-1957), 3075.
- Costus speciosus Sm. Along the footpath to Mylon's bungalow from Siruvani foot, common, in flower and fruit (13-11-1956), 1280.

MARANTACEAE (SCITAMINEAE B.H.)

Schumannianthus virgatus Rolfe. On the road to Mylon's bungalow and Muthukolam, abundant, in flower and fruit (7-12-1956), 1662.

CANNACEAE (SCITAMINEAE B.H.)

Canna orientalis Rosc. Along the road to Mylon's bungalow from Siruvani foot, common, in flower and fruit (30-11-1956), 1549.

AMARYLLIDACEAE

Curculigo orchioides Gaertn. On the foot path to Siruvani foot from Mylon's bungalow, very common, in flower (30-5-1957), 3077.

DIOSCOREACEAE

- Dioscorea oppositifolia Linn. Foot of Siruvani, common in flower (13-11-1956), 1267.
- Dioscorea tomentosa Heyne. By the side of foot path to Mylon's bungalow from Siruvani foot, few, in flower and fruit (13-11-1956), 1278.
- Dioscorea wallichii Hk. f. On the foot path to Mylon's bungalow from Siruvani foot, few, in flower (13-11-1956), 1277.

LILIACEAE

Asparagus racemosus Willd. Near Siruvani foot, common, in flower (30-5-1957), 3084.

PONTEDERIACEAE

Monochoria vaginalis Presl. In a small channel by the side of the road to foot of Siruvani, few, in flower (21-11-1956), 1423.

COMMELINACEAE

- Commelina benghalensis Linn. Foot of Siruvani, common, in flower (13-11-1956), 1261.
- Commelina obliqua Ham. On the road to Mylon's bungalow from Siruvani foot, few, in flower (30-11-1956), 1531.
- Cyanotis cristata Schult. f. On the road to Siruvani, common, in flower (21-11-1956), 1394.
- Floscopa scandens Lour. On the road to Siruvani foot, few, in flower (15-2-1957), 2344.
- Murdannia nudiflorum (Linn.) Brenan. Along the road to Mylon's bungalow from Siruvani foot, common, in flower (30-11-1956), 1534.

CYPERACEAE

- Carex baccans Nees. On the road to Muthukolam from Mylon's bungalow, common, in flower and fruit (7-12-1956), 1673.
- Carex filicina Nees. On the road to Muthukolam from Mylon's bungalow, common, in flower (7-12-1956), 1675.
- Courtoisia cyperoides Nees. Along the road to Siruvani foot and near Muthukolam, common, in flower (28-12-1956), 3060.
- Cyperus articulatus Linn. Noyil river near Perur, on the road to Siruvani foot, common, in flower (15-2-1957), 2320.
- Cyperus difformis Linn. By the side of small channels and streams on the road to Siruvani foot, common, in flower (21-11-1956), 1400.
- Cyperus haspan Linn. On the road to Siruvani foot and near Muthukolam, common, in flower (15-2-1957), 2336.
- Cyperus kyllingia Endl. Noyil river bank near Perur, common, in flower (15-2-1957), 2326.
- Cyperus triceps (Rottb.) Endl. Near Siruvani foot, common, in flower (26-2-1957), 2468.
- Fimbristylis bis-umbellata Bub. Along the road to Siruvani, common, in flower (21-11-1956), 1397.
- Fimbristylis ferruginea Vahl. On the road to Mylon's bungalow from Siruvani foot, in flower (30-11-1956), 1542.
- Pycreus odoratus Urb. On the road to Siruvani foot, common, in flower (15-2-1957), 2341.
- Scirpus mucronatus Linn. Near Muthukolam along the channel, common, in flower (28-5-1957), 3059.

GRAMINEAE

- Apluda mutica Linn. var. aristata (Linn.) Pilger. On the road to Siruvani foot, common, in flower (28-12-1956), 1411.
- Arthraxon lanceolatus Hochst. On the road to Muthukolam from Mylon's bungalow, common, in flower (18-12-1956), 1804.
- Arundinella holcoides (Kunth) Trin. On the road to and near Mylon's bungalow from Siruvani foot, common, in flower and fruit (30-11-1956), 1526.
- Arundinella holcoides (Kunth.) Trin. On the road to Muthukolam from Mylon's bungalow, common, in flower and fruit (18-12-1956), 1801.
- Bambusa arundinacea Willd. Along the foot path to Siruvani foot from Mylon's bungalow, abundant, in flower (30-5-1957), 3079.
- Chrysopogon verticillatus (Roxb.) Trin. On the road to Mylon's bungalow from Siruvani foot, in fruit (7-12-1956), 1647.
- Coix lachryma-jobi Linn. On the road to Muthukolam from Mylon's bungalow, common, in flower (18-12-1956), 1800.

- Cyrtococcum oxyphyllum (Hochst. ex Steud.) Stapf. Near and on the road to Mylon's bungalow from Siruvani foot, common, in flower (30-11-1956), 1656.
- Dichanthium annulatum (Forsk.) Stapf. Near Mylon's bungalow, common, in fruit (7-12-1956), 1658.
- Digitaria marginata Link. Near Mylon's bungalow, common, in flower (30-5-1957), 3067.
- Echinochloa colona (Linn.) Link. Along the road to and near Siruvani foot, common, in flower and fruit (21-11-1956), 1390.
- Eleusine indica Gaertn. Near Mylon's bungalow, common, in flower and fruit (7-12-1956), 1659.
- Eragrostis ciliaris Link. Noyil river bank near Perur, common, in flower (15-2-1957), 2328.
- Eragrostis gangetica Steud. On the way to Siruvani foot and near Muthukolam, common, in flower (15-2-1957), 2339.
- Eragrostis tenuifolia Hochst. Along the road to Mylon's bungalow from Siruvani foot, common, in flower (7-12-1956), 1653.
- Eragrostis unioloides (Retz.) Nees ex Steud. On the way to Siruvani foot, common, in flower (15-2-1957), 2338.
- Eriochloa procera (Retz.) C.E. Hubb. On the banks of Noyil river near Perur, common, in flower (15-2-1957), 2325
- Garnotia stricta Brogn. On the road to Mylon's bungalow from Siruvani foot, common, in flower and fruit (30-11-1956), 1538.
- Heteropogon contortus (Linn.) Beauv. ex R. & S. Along the road to Siruvani, common, in fruit (21-11-1956), 1398.
- Imperata cylindrica Beauv. var. koenigii Dur. and Sch. On the road to Mylon's bungalow from Siruvani foot, abundant, in fruit (20-2-1957), 2394.
- Isachne dispar Trin. On the road to Siruvani, common, in flower (21-11-1956), 1395.
- Ischaemum aristatum Linn. On the road to Muthukolam from Mylon's bungalow, common, in flower (7-12-1956), 1671.
- Ischaemum rugosum Salisb. On the road to Siruvani foot, common, in fruit (28-11-1956), 1839.
- Leersia hexandra Sw. Near Muthukolam, common, in fruit (18-12-1956), 1806.
- Oplismenus compositus Beauv. Foot of Siruvani, common, in flower and fruit (13-11-1956), 1258.
- Panicum montanum Roxb. On the road to Muthukolam from Siruvani foot, common, in flower (7-12-1956), 1667.
- Paspalidium geminatum (Forsk.) Stapf. Noyil river near Perur and on the road to Siruvani foot, common, in flower (15-2-1957), 2319.
- Paspalum conjugatum Berg. Near Mylon's bungalow, few, in flower and fruit (30-11-1956), 1621.

- Paspalum scrobiculatum Linn. Along the road to Mylon's bungalow from Siruvani foot, common, in flower and fruit (30-11-1956), 1541.
- Pogonatherum paniceum (Lamk.) Hack. Near Mylon's bungalow, common, in fruit (30-11-1956), 1525.
- Pseudechinolaena polystachya Stapf. On the road to Muthukolam from Siruvani foot, common, in flower (7-12-1956), 1664.
- Rottboellia exaltata Linn.f. On the road to Muthukolam from Mylon's bungalow, in flower (7-12-1956), 1674.
- Saccharum spontaneum Linn. Near Muthukolam from Mylon's bungalow, abundant, in fruit (18-12-1956), 1805.
- Setaria pallidifusca Stapf. and Hubb. On the road to Mylon's bungalow, abundant, in fruit (18-12-1956). 1805.
- Setaria palmifolia (Koenig.) Stapf: Near Mylon's bungalow, common, in flower (30-11-1956), 1523.
- Setaria verticillata Beauv. On the road to Siruvani foot, common, in flower and fruit (28-12-1956), 1850.
- Sorghum halepense (Linn.) Pers. On the road to Mylon's bungalow from Siruvani foot, common, in flower (7-12-1956), 1655.
- Themeda triandra Forsk. On the road to Mylon's bungalow, abundant, in flower and fruit (7-12-1956), 1648.

SUMMARY

The Boluvampatti reserve forests are divided into three blocks 1, 2 and 3 and extend along the horse-shoe-shaped range of hills which are situated exactly to the west of Coimbatore town. At the base of this horse-shoe and facing east is Siruvani foot, situated at a distance of 34 kms. from Coimbatore.

The present observations relate mainly to the flora in the Block 2 Boluvampatti reserve forest and include the regions round about Siruvani foot, Vellapatti, Mylon's bungalow and Muthukolam. In addition, observations along the Noyil river and on either side of the road to Siruvani foot from Coimbatore, were also made. A brief account of the geology, rock, soil and climate of this forest is presented.

The vegetation round about Siruvani foot is of the scrub jungle type, at Mylon's bungalow we find the subtropical ever green forest and the grassy hill tops are seen near Muthukolam.

A list of plants collected is given. Out of the plants listed the dominant families are Leguminosae, Compositae and Gramineae. Of these, Gramineae is very well represented with the largest number of genera and species, the next in order being Leguminosae and Compositae. Among other families which have six or more species are Malvaceae, Convolvulaceae, Acanthaceae, Labiatae, Loranthaceae, Euphorbiaceae, Urticaceae and Cyperaceae. The herbs, shrubs and climbers are better represented than the trees.

OBSERVATIONS ON THE FLORA OF BOLUVAMPATTI

ACKNOWLEDGEMENT

Finally, I wish to thank Dr. J. C. Sen Gupta, Chief Botanist, Botanical Survey of India for his kind encouragement and keen interest during the course of this work.

BIBLIOGRAPHY

- Bor, N. L., 1953, Manual of Indian Forest Botany, 1-441. London.
- CHATTERIEE, D. and R. C. BHARDWAJA, 1957, Revision of the Scrophulariaceae of the Upper Gangetic Plain and adjoining areas. Bull. hot. Soc. Bengal 9: 127-153.

- GAMBLE, J. S., 1915-1936, Flora of the Presidency of Madras, Part 1-XI. London.

 RAZI, B. A., 1954, Recent names of some South Indian plants with particular reference to those of Mysore. J. Mysore Univ. 14: 1-12.

- 1955, Excursion of the Indian Botanical Society to Pavagarh Hill near Baroda, on January 7, 1955. J. Indian bot. Soc. 34: 158-189.