length, outer surface densely silky hairy, inner surface glabrous. Stamens numerous, adnate to the petals, c. 5 mm long; filaments c. 1 mm long, glabrous; anthers oblong, apiculate, hairy. Ovary oblong, 2-3 mm long, densely silky-hairy, 5-locular, ovules numerous in each loculus; style 1, 5-10 mm long, densely silky-hairy up to the subapical portion; stigma subtruncate. Young capsule ovoid, densely silky-hairy, mature fruit not seen.

Type: Myanmar: Tenasserim, Jaepo, 5000' (1520 m). 17.4.1877, George Gallatly 829A (Holotype: CAL; Isotypes: 829B, C, D, E, F, CAL).

Fl.: April.

Adinandra collettiana is similar to A. gallatlyi R. N. Paul but differs in its leaves being acute, obtuse or subacuminate at apex, the margin

serrated towards the apex, the lower surface with appressed simple hairs, the pedicel shorter (1.5-2 cm), and distinctly recurved, the petals acuminate at the apex and the longer stamens (c. 5 mm) whereas A. gallatlyi has leaves with short acuminate apices, the margins entire, the lower surface glabrous, the pedicel longer (3.2-3.5 cm), slightly bent, the petals obtuse to acute at apex and the stamens shorter (c. 3 mm).

#### **ACKNOWLEDGEMENTS**

The author is grateful to the Director, Botanical Survey of India, for all facilities and to Dr. M. P. Nayar, Ex-Director, B.S.I., for kindly going through the manuscript and latin diagnosis.

T. K. PAUL Botanical Survey of India, Howrah

## WILD ORNAMENTALS OF PAURI GARHWAL

The Pauri district of Garhwal Himalaya lies in between 30°-0′N latitudes and 78°-46′E longitudes sharing with the outer Himalayan ranges with altitudinal variations in between 1350 m to 2200 m above sea level. The flora of the area is very rich in its biological diversity having considerable economical and medicinal potentiality.

During the course of floristic exploration of the area (1979-85), a number of wild plants having ornamental value have been noted, which can be introduced in the gardens for their beautiful flowers, fruits, foliage etc. Such plants were selected and observed regularly during different seasons in order to know the colour of flowers, fruits etc., for evaluating their ornamental importance. The correct time of flowering and fruiting was noted in the field during the course of such studies.

The present paper deals with the 35 most common ones. These have been arranged

alphabetically. For each species correct binomial, basionym if any, family to which it belongs, local name if any in inverted commas, flower colour, fruit colour if interesting, flowering and fruiting season etc., have been given in the enumeration.

It has been observed that a number of plants lurking in wilderness can be introduced in gardens and parks in hilly areas for their ornamental value without much expenditures and efforts. These plants with better range of tolerance have less risk of mortality due to diseases and other reasons. The seeds can be collected in case of annuals and seedlings/cuttings can be gathered easily in case of trees, shrubs and other woody plants for the purpose.

# 1. Androsace lanuginosa Wall. (Primulaceae)

Decumbent perennial herb up to 15 cm high.

Fl. pink or white in umbels; Aug. Oct.

2. Anemone vitifolia Buch.-Ham. ex DC. (Ranunculaceae)

Perennial tomentose herb up to 50 cm tall. Fl. white, 2.5-3 cm across, solitary or few, terminal on long stalk; Aug. - Sept.

# 3. Begonia picta Sm. (Begoniaceae)

Succulent herb with radical leaves having violet ventral surface. Fl. pinkish; Aug. - Sept.

4. Bergenia ciliata (How.) Sternb. Megasea ciliata Haw. (Saxifragaceae) "Pathar-chatta", "Pasar-bhed"

Fleshy rhizomatous perennial herb with thick showy radical leaves having pinkish ventral surface. Fl. pinkish; Feb.-Apr.

5. Chirita bifolia D. Don (Gesneriaceae)

Erect herb with 1 or 2 broadly quadrate thick leaves. Fl. blue, ca 5 cm across; July - Aug.

6. Clematis grata Wall. (Ranunculaceae)

Climber. Fl. white in dense panicles; Sept.-Oct.

7. Cotinus coggygria Scop. (Anacardiaceae)
"Jal-toong"

Shrub up to 1.5 m tall. Fl. yellow in 40-50 cm long effuse panicles. Fr. pink, hairy, persistent; May - Aug.

8. Cotoneaster microphyllus Wall. ex Lindl. (Rosaceae)

Shrub with prostrately spreading branches. Fl. white in clusters; May - June.

9. Cymbidium macrorhizon Lindl. (Orchidaceae)

Fleshy pinkish herb with pinkish flowers up to 15 cm tall; July- Sept.

**10. Daphne papyracea** Wall. ex Steud. (Thymelaeaceae) "Satpura"

Undershrubs up to 1 m tall. Fl. snow white in terminal sessile clusters. Fr. reddish, persistent; Feb. - May.

11. Delphinium denudatum Wall. ex Hook.f. et Thoms. (Ranunculaceae)

Erect herb up to 40 cm tall. Fl. violet with long spur, 3-4 cm long; Aug. - Sept.

12. Geranium wallichianum D. Don ex Sw. (Geraniaceae)

Decumbent perennial herb with bluish-purple flowers; July-Sept.

13. Gerbera gossypina (Royle) Beauv. Chaptalia gossypina Royle (Asteraceae)

Scapigerous large woolly herb, heads ca 3 cm across, flowers pinkish - white; Mar. - Apr.

## 14. Hedera nepalensis Koch. (Araliaceae)

Evergreen climbing shrubs with shining thick leaves, growing encircling the tree trunk. Fl. greenish - white; Jan.

15. Hedychium spicatum Buch.-Ham. ex Sm. (Zingiberaceae)

Herb up to 1 m tall. Fl. large, red; Aug. - Oct.

16. Houttuynia cordata Thunb. (Soururaceae)

Ascending herb. Fl. in oblong spikes, subtended by white petaloid bracts, ca 2 cm across; Apr.-June.

17. Hypericum oblongifolium Choisy (Hypericaceae)

Erect perennial herb up to 40 cm tall. Fl. yellow, ca 4 cm across; Aug.-Sept.

18. Inula cappa (Buch.-Ham. ex D. Don) DC.

Conyza cappa Buch.-Ham. ex D. Don

(Asteraceae)

Silky tomentose shrub with thick leaves and yellow heads; Mar.- Apr.

19. Kalanchoe laciniata (L.) DC, Cotyledon laciniata (Linn.) Medic. (Crassulaceae)

Small erect succulent herb with variegated stem and minute leaves. Fl. dull-white; June-Aug.

20. K. pinnata (Lam.) Pers. Cotyledon pinnatum

Succulent herb up to 50 cm tall. Fl. yellow; Oct.-Dec.

**21.** Ophiopogon intermedius D. Don (Haemodoraceae)

Epiphytic or terrestrial slender grass like perennial herb. Fl. silvery-white in nodding racemes; July-Sept.

22. Osbeckia stellata Buch.-Ham. ex D. Don (Melastomataceae)

Undershrubs up to 75 cm tall. Fl. large, pink, 5-6 cm across; Aug. - Oct.

23. Parnassia nubicola Wall. ex Royle (Saxifragraceae)

Herb with radical leaves. Scape long with solitary large white flowers at the top; Aug. - Sept.

24. Potentilla fulgens Wall. ex Hook. (Rosaceae)

Procumbent perennial herb with attractive silverywhite radical leaves. Fl. yellow; Sept. - Oct.

25. Primula denticulata Sm. (Primulaceae)

Scapigerous annual herb up to 15 cm long. Fl. white or bluish- white in globose umbel; Feb. Apr.

**26.** Prunus cerasoides D. Don (Rosaceae) "Panyian"

Deciduous small tree, flowering profusely before leaf formation. Fl. pinkish white; Feb. Apr.

27. Pyracantha crenulata (D. Don) Roem.

Mespilus crenulata D. Don (Rosaceae)

"Ghingharu"

Armed spreading shrub up to 2 m tall. Fl. small, white in bunches with several together. Fr. orange-red, smooth, long persistent; Mar.-Aug.

28. Pyrus pashia Buch.-Ham. ex D. Don (Rosaceae) "Melu"

Deciduous armed small tree, profusely and densely flowering after the leaf fall. Fl. pinkish white; Feb.-Apr.

29. Reinwardtia indica Dumort. (Linaceae)
"Feunli"

Ascending or spreading herb with bell shaped canary yellow flowers; Feb. - Apr.

30. Rhododendron arboreum Sm. (Ericaceae)
"Bhurans"

Medium sized tree with showy red flowers in hemispheric clusters; Feb.-Mar.

31. Rosa brunonii Lindl. (Rosaceae) "Kunja", "Jangali Gulab"

Subdeciduous profusely flowering shrub. Fl. white, fragrant, 5-6 cm across; Mar.-Apr.

32. Rosularia adenotricha (Wall. ex Edgew.)
Jansson, Sedum adenotrichum Wall. ex
Edgew. (Crassulaceae)

Scapigerous succulent herb up to 25 cm tall. Fl. reddish or dull-white in branched racemes; Apr.-Aug.

33. Salvia lanata Roxb. (Lamiaceae) "Ghania"

Acaulescent annual herb up to 12 cm tall. Fl. blue in compact elongated spikes; Mar. - Apr.

34. Satyrium nepalense D. Don (Orchidaceae)

Terrestrial scapigerous herb up to 40 cm tall. Fl. pink; Aug.- Sept.

35. Valeriana jatamansi Jones (Valerianaceae)
"Sameva"

Annual fragrant herb with white flowers in diffuse cymes; Mar.- Apr.

### **ACKNOWLEDGEMENTS**

The authors are thankful to the Director, Botanical Survey of India, Calcutta for providing facilities.

A.A. ANSARI

Botanical Survey of India, Howrah

AND

**GHANA NAND** 

Botanical Survey of India, Puri Garhwal

### REFERENCES

COLLETT, H. Flora Simlensis Repr. ed. Bishen Singh Mahendra Pal Singh, Dehra Dun, 1971. 1902.

NAITHANI, B.D. Flora of Chamoli District. Botanical Survey of India, Howrah. 1984.