ISSN (Print): 0974-6846 ISSN (Online): 0974-5645

Assessment of Some Heavy Metals in the Shadegan and Hawr Al Hawizea Wetland Waters from Iran

Hassan Nasirian^{1*}, Shahrokh Nazmara², Ami Hossein Mahvi^{2, 3}, Mostafa Hosseini⁴, Layla Shiri² and Babak Vazirianzadeh⁵

¹Department of Medical Entomology and Vector Control, School of Public Health, Tehran University of Medical Sciences, Tehran, Iran; hanasirian@yahoo.com

²Department of Environmental Health Engineering, School of Public Health, Tehran University of Medical Sciences, Tehran, Iran

³Center for Solid Waste Research, Institute for Environmental Research, Tehran University of Medical Sciences, Tehran, Iran

⁴Department of Epidemiology and Biostatistics, School of Public Health, Tehran University of Medical Sciences, Tehran, Iran

⁵Health Research Institute, Infectious and Tropical Diseases Research Center and Department of Medical Entomology, Ahvaz Jundishapur University of Medical Sciences, Ahvaz, Iran

Abstract

Background: Heavy metal contamination of wetland waters can adversely affects human health. Methods: The Arsenic (As), Cadmium (Cd), Cobalt (Co), Chromium (Cr), Copper (Cu), Iron (Fe), Mercury (Hg), Manganese (Mn), Lead (Pb), and Zinc (Zn) of Shadegan and Hawr Al Azim wetland waters in the Khuzistan Province, South Western Iran were assessed from October 2011 to September 2012. Results: Shadegan and Hawr Al Azim wetland waters were contaminated with Cr, Fe, Mn, Hg and Zn as they were more than the Environmental Protection Agency (EPA) normal levels. One-sample t-test showed a significant difference between these wetland waters contaminated heavy metals and the EPA normal levels. Application: Although these wetland waters were contaminated by the mentioned heavy metals, they will likely accumulate in the fauna and flora tissues. Afterwards they were biomagnified there after their entering in the marine food chains. Finally they were fed by predators such as birds and fish and threatened human health through food chains.

Keywords: Assessment, Contamination, Heavy metal, Water, Wetland

1. Introduction

In recent years, the nation's water resources are threatened by the various pollutions such as industrial effluents, fertilizers, chemical pesticides, and wastewaters^{1,2}. Protecting the wetlands such as Shadegan and Hawr Al Azim (Hawr Al Hawizea) can protect our safety and welfare³ because they take on characteristics that make them distinct^{4;} moreover, they are the most productive ecosystem among ecosystems of the world⁵. Some wetlands benefits in the world are: water quality improving, water pollutant removing, flood protecting, erosion controlling, groundwater recharging, wildlife habitat providing, recreational and cultural function serving,

aesthetic appreciation, creatures' biodiversity reservoirs, natural research center, tourism destination potential and local resident socioeconomic advantages^{6,7}. Also they have eco-environmental conditions to prevent the dust phenomena that are extremely important and are a regional and interregional complex problem in the recent decades⁷. So wetlands need to be monitored and managed over the time to assess their ecologically functioning³. To manage wetlands effectively it is necessary to have adequate knowledge of their any pollution to ensure that there are no any contaminations⁴.

The various aquatic ecosystems such as wetlands are encountered to wide range of heavy metal pollution. Really it has been drawn the attention of the researchers

^{*}Author for correspondence

to theirs8. Heavy metals have persistent nature. As a result they are one of the major and the most widespread groups of contaminants. They eliminate slowly from environment⁹⁻¹¹. In this respect contaminating the wetland waters with the metals can adversely affect on human health for their water supply and support agricultural activities. Various harmful effects including abnormal development of the fetus, procreation failure, and immunodeficiency have exhibited due to aquatic metal exposure¹². So, having a strategy and plan for the water conservation and pollution control is as an issue in the country's infrastructure¹ such as wetlands. Also the aquatic organisms and wildlife are dependent to their water quality habitats. They encountered to the serious threats especially the endangered or the threatened species such as insects or other organisms. However, as mentioned protecting the wetlands in turn can protect our safety and welfare. Also the protection of threatened and endangered species is important in normal developments¹³.

Shadegan and Hawr Al Azim wetlands in Khuzistan Province, South West of Iran, are considered to be the most special ecosystems in the world, as mentioned the above with some various benefits. They have excellent natural attraction and create annually an appropriate habitat for a large number of migratory birds arriving from Northern Europe, Canada and Siberia. Their wildlife and natures are threatened by different kinds of pollutants such as industrial and urban wastes. Also the peoples may be suffering from Mosquito-borne diseases and their nuisance by high density of mosquito emerging¹⁴ preventing tourist activities. It is necessary to be measured the water heavy metals to inform human for preventing or reducing their water pollution which they can be searched by regular environmental surveys. In this regard annually various studies must be taken. However, few studies were done on our country wetland waters. Farrokhian et al.15 measured the Cadmium, Lead, Nickel and Copper of Shadegan wetland in a relatively old study¹⁵. In a very small and short time scales, Nasirian et al. 7,16 stated that Shadegan wetland waters were contaminated by some heavy metals¹⁶. Whereas the trend of the wetland water heavy metal contamination would not be evaluated by this study. But it seems it would be better the study is taken in a large and long time scales to evaluate the trend of the wetland water heavy metal contamination. Thus in this regard the present study was done to assess the water heavy metals of Shadegan and Hawr Al Azim wetlands in Khuzistan Province, South Western Iran from October 2011 to September 2012.

2. Materials and Methods

2.1 Geographical Information

This study was carried out in Shadegan and Hawr Al Hawizea or Hawr Al Azim wetlands with a hot and humid climate in Khuzistan Province, South Western Iran. Shadegan wetland is known as the largest wetland in Iran and contains an area of 537,700 hectares, placed 52 km far from Abadan and 40 km far from Ahvaz and closed from North to Shadegan city and Khor Doraq, from South to Bahmanshir river, from West to Darkhovien and Abadan road and from East to Khure-Musa. It is mainly supplied by Karoun river waters. The coordinates of Shadegan wetland area are: 48° 17′- 48° 50′E 30° 17′- 30° 58′N ^{7,16}.

Hawr Al Azim and Hawr Al Hawizeh are parts of a single hydrologic system forming the largest permanent freshwater wetlands in Lower Mesopotamia and situating in the North Azadegan Plain, 80 km Southwest of Ahvaz County, near the border between Iran and Iraq. They covers an area of about 56654 hectares, most (37266 hectares) of which locates within the Hawr Al Azim wetland. Their coordinates are: 47° 20′ - 47° 55′E - 30° 58′ - 31° 50′ N ¹⁷.

2.2 Site Selection

The water samplings were conducted from six different sites including: 1. Water canal entrance to Shadegan Wetland (SW₁) located at the West of the wetland between Darkhovien city and wetland at 15 km of Shadegan-Darkhovien road where waste output of sugarcane expansion plan released into the wetland. 2. The middle of Shadegan Wetland area (SW₂) located at 10 km in its middling of this wetland. 3. Ragbeh and Sarakhieh villages surrounding and tourism station of Shadegan Wetland areas (SW₃) located at the West of the wetland at 5 km of Shadegan-Darkhovien road. 4. Waste output from sugarcane expansion plan (SW₄) located at the North Western of the wetland at 40 km of Ahvaz-Abadan road where waste output of sugarcane expansion plan comes out. 5. The entry of Shadegan city wastewater to Shadegan Wetland (SW_z) located between Shadegan city and wetland at the East of the wetland where urban waste released into the wetland. 6. The wide middle area of Hawr Al Hawizeh or Hawr Al Azim wetland (HH) located at 10 km in its middling of this wetland¹⁸.

2.3 Water Sampling

Water samples were collected using one liter acid-washed (10% Nitric acid) poly-ethylene containers. Then 1 ml

concentrated Nitric acid (HNO₃) was added to each sample and transported to the laboratory after labeling and packaging.

2.4 ICP-OES Metal Analysis

The water samples for metals testing including Arsenic (As), Cadmium (Cd), Cobalt (Co), Chromium (Cr), Copper (Cu), Iron (Fe), Mercury (Hg), Manganese (Mn), Lead (Pb), and Zinc (Zn) were subjected to ICP-OES (Germany SPECTRO Company, Spectro ARCOS Model) instrument to quantify the composition of the given samples¹⁹.

2.5 Statistical Analysis

Data concerning the investigated water metal pollutants between the different selected sites and dates and between the selected sites and months were analyzed by One-way analysis of variance (ANOVA) followed by Post Hoc tests (Tukey HSD), respectively using PASW Statistics 18. One-sample t-test was used for comparing the water metal pollutants with the Environmental Protection Agency (EPA) normal levels²⁰.

2.6 Results and Discussion

Tables 1 and 2 shows the water heavy metals which were measured in the different selected sites of Shadegan and Hawr Al Azim wetlands by μg/L and μg/g from October 2011 to September 2012. Generally, the levels of As, Cd, Co, Cu and Pb in the water which were sampled monthly from different sites of both wetlands during October 2011 to September 2012, were observed lower than the EPA water standards. This fact indicates that the water has not been contaminated by these metals; whereas the values of Cr, Fe, Mn, Hg, and Zn in some month samplings were higher than the EPA water normal levels (shown in bold in the Tables 1 and 2). This fact indicates that the waters of these wetlands have been contaminated by these heavy metals (Tables 1 and 2). Also Figure 1 show trends of the investigated water heavy metals (µg/g) in the different selected sites of Shadegan and Hawr Al Azim wetlands, from October 2011 to September 2012.

The water Cr values in the SW_1 and SW_5 in the October, December and September; the SW_2 , SW_3 and SW_4 in the October, December, March, April and September; and the HH in the October observed higher than the EPA normal levels²⁰ indicating water contamination to Cr (shown in bold in the Tables 1 and 2). The lowest and the




Figure 1. Trends of the water heavy metals investigated $(\mu g/g)$ in the different selected sites of Shadegan and Hawr Al Azim Wetlands, from October 2011 to September 2012.

highest water contamination Cr values observed in the SW₃ and SW₄, and in the SW₂ and SW₅ in the March and October, respectively (Tables 1 and 2, and Figure 1). The results of one-sample t-test revealed a significant differences between the water Cr values and EPA normal levels (P<0.0001) Table 320. The results of one-way analysis of variance (ANOVA) did not show any significant differences between the Cr values of the sites (P=0.056), whereas it showed a significant differences between the Cr values of the months (P<0.0001) (Table 4). Also Post Hoc tests (Tukey HSD) showed a significant differences between the Cr values of the HH with the SW₁, SW₂, SW₃, SW₄ and SW_s; and October with the other months; December with the March, April, June and July; and September with the March, June and July (P<0.05), whereas they did not show any significant differences between the other sites and months (P>0.05) (Tables 5 and 6).

The water Fe values of the SW $_1$ and SW $_4$ in the March, April, June, July, September; the SW $_2$ and SW $_3$ (except July) in the March, April, June and July; the SW $_5$ in the all months (except the July); and the HH in the March, June and September observed higher than the EPA normal levels 20 indicating water contamination to Fe (shown in bold in the Tables 1 and 2). The lowest and the highest water Fe contamination values observed both in the SW $_5$ in the October and March (Tables 1 and 2, and Figure 1). The results of one-sample t-test revealed a significant differences between the Fe values of the sites and months with the EPA normal levels (P<0.0001) Table 3. Also the results

Table 1. Water heavy metals investigated (µg/L) in the different selected sites of Shadegan and Hawr Al Azim Wetlands, from October 2011 to September 2012

e	_						Heav	y metal				
Site	Season	Month	As	Cd	Co	Cr	Cu	Fe	Hg	Mn	Pb	Zn
	Autumn	October	<15.32	<1.11	<4.98	38.86	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
		December	<15.32	<1.11	<4.98	28.02	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
	Winter	March	<15.32	<1.11	<4.98	26.42	<24.59	305.29	<5.63	47.09	<22.33	<2.17
SW1	Spring	April	<15.32	<1.11	<4.98	<24.49	<24.59	111	<5.63	11	<22.33	<2.17
		June	<15.32	<1.11	<4.98	<24.49	<24.59	235	319	18	<22.33	<2.17
	Summer	July	<15.32	<1.11	<4.98	<24.49	<24.59	31.15	<5.63	<10.39	<22.33	<2.17
		September	<15.32	<1.11	<4.98	30.89	<24.59	42.24	<5.63	<10.39	<22.33	<2.17
	Autumn	October	<15.32	<1.11	<4.98	39.11	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
		December	<15.32	<1.11	<4.98	28.70	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
6)	Winter	March	<15.32	<1.11	<4.98	26	<24.59	67.58	<5.63	<10.39	<22.33	<2.17
SW2	Spring	April	<15.32	<1.11	<4.98	28	<24.59	51	<5.63	<10.39	<22.33	<2.17
		June	<15.32	<1.11	<4.98	<24.49	<24.59	190	157	<10.39	<22.33	<2.17
	Summer	July	<15.32	<1.11	<4.98	<24.49	<24.59	26.89	<5.63	<10.39	<22.33	<2.17
		September	<15.32	<1.11	<4.98	30.51	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
	Autumn	October	<15.32	<1.11	<4.98	38.06	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
		December	<15.32	<1.11	<4.98	29.18	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
_	Winter	March	<15.32	<1.11	<4.98	24.97	<24.59	102.33	<5.63	<10.39	<22.33	<2.17
SW3	Spring	April	<15.32	<1.11	<4.98	27	<24.59	48	<5.63	<10.39	<22.33	<2.17
		June	<15.32	<1.11	<4.98	<24.49	<24.59	88	96	<10.39	<22.33	<2.17
	Summer	July	<15.32	<1.11	<4.98	<24.49	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
		September	<15.32	<1.11	<4.98	27.39	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
	Autumn	October	<15.32	<1.11	<4.98	38.19	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
		December	<15.32	<1.11	<4.98	29.24	<24.59	<15.77	<5.63	15.8	<22.33	<2.17
-	Winter	March	<15.32	<1.11	<4.98	24.94	<24.59	333.04	<5.63	78.45	<22.33	<2.17
SW4	Spring	April	<15.32	<1.11	<4.98	27	<24.59	88	<5.63	<10.39	<22.33	<2.17
		June	<15.32	<1.11	<4.98	<24.49	<24.59	113	69	18	<22.33	<2.17
	Summer	July	<15.32	<1.11	<4.98	<24.49	<24.59	44.14	<5.63	<10.39	<22.33	<2.17
		September	<15.32	<1.11	<4.98	25.71	<24.59	220.21	<5.63	39.12	<22.33	<2.17
	Autumn	October	<15.32	<1.11	<4.98	39.15	<24.59	17.44	<5.63	32.13	<22.33	7.4
		December	<15.32	<1.11	<4.98	26.73	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
10	Winter	March	<15.32	<1.11	<4.98	<24.49	<24.59	1581.57	<5.63	148.06	<22.33	<2.17
SW5	Spring	April	<15.32	<1.11	<4.98	<24.49	<24.59	121	<5.63	76	<22.33	<2.17
		June	<15.32	<1.11	<4.98	<24.49	<24.59	391	60	596	<22.33	<2.17
	Summer	July	<15.32	<1.11	<4.98	<24.49	<24.59	64.73	<5.63	28.83	<22.33	<2.17
		September	<15.32	<1.11	<4.98	27.62	<24.59	395.13	<5.63	245.36	<22.33	6.87
	Autumn	December	<15.32	<1.11	<4.98	27.45	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
	Winter	March	<15.32	<1.11	<4.98	<24.49	<24.59	25.71	<5.63	<10.39	<22.33	7.68
НН	Spring	April	<15.32	<1.11	<4.98	<24.49	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
H		June	<15.32	<1.11	<4.98	<24.49	<24.59	24	52	<10.39	<22.33	<2.17
	Summer	July	<15.32	<1.11	<4.98	<24.49	<24.59	<15.77	<5.63	<10.39	<22.33	<2.17
		September	<15.32	<1.11	<4.98	<24.49	<24.59	44.23	<5.63	21.43	<22.33	<2.17
	evice detec	tion limit	15.32	1.11	4.98	24.49	24.59	15.77	5.63	10.39	22.33	2.17
	EPA norm	al level	10	5	500	100	1300	300	2	50	15	5000

Table 2. Water heavy metals investigated $(\mu g/g)$ in the selected sites of Shadegan and Hawr Al Azim Wetlands, from October 2011 to September 2012

e.	0	3.6 .1					Heavy	metal			-	
Site	Season	Month	As	Cd	Co	Cr	Cu	Fe	Hg	Mn	Pb	Zn
	Autumn	October	< 0.38	< 0.03	<0.12	1.08	< 0.62	< 0.39	< 0.14	<0.26	<0.56	<0.05
		December	< 0.38	< 0.03	<0.12	0.78	< 0.62	< 0.39	< 0.14	<0.26	< 0.56	<0.05
_	Winter	March	< 0.38	< 0.03	<0.12	0.73	< 0.62	7.55	< 0.14	1.18	<0.56	<0.05
SW1	Spring	April	< 0.38	< 0.03	<0.12	<0.68	< 0.62	2.74	< 0.14	0.28	< 0.56	< 0.05
		June	< 0.38	< 0.03	<0.12	<0.68	< 0.62	5.81	7.93	0.45	< 0.56	<0.05
	Summer	July	< 0.38	< 0.03	<0.12	<0.68	< 0.62	0.77	< 0.14	<0.26	<0.56	<0.05
		September	< 0.38	< 0.03	<0.12	0.86	< 0.62	1.04	< 0.14	<0.26	< 0.56	<0.05
	Autumn	October	< 0.38	< 0.03	< 0.12	1.09	< 0.62	< 0.39	< 0.14	<0.26	< 0.56	< 0.05
		December	< 0.38	< 0.03	<0.12	0.81	< 0.62	< 0.39	< 0.14	<0.26	<0.56	< 0.05
61	Winter	March	< 0.38	< 0.03	< 0.12	0.72	< 0.62	1.67	< 0.14	<0.26	< 0.56	< 0.05
SW2	Spring	April	< 0.38	< 0.03	<0.12	0.78	< 0.62	1.26	< 0.14	<0.26	< 0.56	<0.05
		June	< 0.38	< 0.03	< 0.12	<0.68	< 0.62	4.71	3.9	<0.26	<0.56	< 0.05
	Summer	July	< 0.38	< 0.03	< 0.12	<0.68	< 0.62	0.66	< 0.14	<0.26	< 0.56	< 0.05
		September	< 0.38	< 0.03	< 0.12	0.85	< 0.62	< 0.39	< 0.14	<0.26	<0.56	<0.05
	Autumn	October	< 0.38	< 0.03	< 0.12	1.06	< 0.62	< 0.39	< 0.14	<0.26	< 0.56	< 0.05
		December	< 0.38	< 0.03	<0.12	0.81	< 0.62	< 0.39	< 0.14	<0.26	<0.56	< 0.05
	Winter	March	< 0.38	< 0.03	<0.12	0.69	< 0.62	2.53	< 0.14	<0.26	<0.56	< 0.05
SW3	Spring	April	< 0.38	< 0.03	<0.12	0.75	< 0.62	1.19	< 0.14	<0.26	<0.56	< 0.05
		June	< 0.38	< 0.03	<0.12	<0.68	< 0.62	2.18	2.39	<0.26	<0.56	<0.05
	Summer	July	< 0.38	< 0.03	<0.12	<0.68	< 0.62	< 0.39	< 0.14	<0.26	<0.56	< 0.05
		September	< 0.38	< 0.03	<0.12	0.76	< 0.62	< 0.39	< 0.14	<0.26	<0.56	< 0.05
	Autumn	October	< 0.38	< 0.03	<0.12	1.06	< 0.62	< 0.39	< 0.14	<0.26	<0.56	< 0.05
		December	<0.38	< 0.03	<0.12	0.81	< 0.62	< 0.39	< 0.14	0.40	<0.56	<0.05
4	Winter	March	< 0.38	< 0.03	<0.12	0.69	< 0.62	8.24	< 0.14	1.96	<0.56	<0.05
SW4	Spring	April	< 0.38	< 0.03	<0.12	0.75	< 0.62	2.18	< 0.14	<0.26	<0.56	<0.05
		June	< 0.38	< 0.03	<0.12	<0.68	< 0.62	2.8	1.72	0.45	<0.56	< 0.05
	Summer	July	< 0.38	< 0.03	<0.12	<0.68	< 0.62	1.09	< 0.14	<0.26	<0.56	< 0.05
		September	< 0.38	< 0.03	<0.12	0.71	< 0.62	5.45	< 0.14	0.98	<0.56	<0.05
	Autumn	October	< 0.38	< 0.03	<0.12	1.09	< 0.62	0.43	< 0.14	0.8	<0.56	0.17
		December	< 0.38	< 0.03	<0.12	0.74	< 0.62	< 0.39	< 0.14	<0.26	<0.56	<0.05
10	Winter	March	< 0.38	< 0.03	<0.12	<0.68	< 0.62	39.11	< 0.14	3.7	<0.56	<0.05
SW5	Spring	April	< 0.38	< 0.03	<0.12	<0.68	< 0.62	3.09	<0.14	1.9	<0.56	<0.05
		June	<0.38	<0.03	<0.12	<0.68	< 0.62	9.67	1.49	14.91	<0.56	<0.05
	Summer	July	<0.38	< 0.03	<0.12	<0.68	< 0.62	1.6	< 0.14	<0.26	<0.56	<0.05
		September	< 0.38	< 0.03	<0.12	0.77	< 0.62	9.77	< 0.14	6.15	<0.56	0.16
	Autumn	December	< 0.38	< 0.03	<0.12	0.76	< 0.62	< 0.39	<0.14	<0.26	<0.56	<0.05
	Winter	March	<0.38	< 0.03	<0.12	<0.68	<0.62	0.64	<0.14	<0.26	<0.56	0.18
HH	Spring	April	< 0.38	< 0.03	<0.12	<0.68	< 0.62	< 0.39	< 0.14	<0.26	<0.56	<0.05
=		June	<0.38	< 0.03	<0.12	<0.68	< 0.62	0.59	1.29	<0.26	<0.56	<0.05
	Summer	July	< 0.38	< 0.03	<0.12	<0.68	< 0.62	< 0.39	< 0.14	<0.26	<0.56	<0.05
		September	<0.38	< 0.03	<0.12	<0.68	< 0.62	1.09	< 0.14	0.54	<0.56	<0.05
D	evice detec	tion limit	0.38	0.03	0.12	0.68	0.62	0.39	0.14	0.26	0.56	0.05
	EPA norm	al level	0.01	0.005	0.5	0.1	1.3	0.3	0.002	0.05	0.015	5

Table 3. One-sample t-test analysis between the EPA normal levels and observed water heavy metal rates of the different selected site and month samplings

Motel		Wat	er	Sel	lecte	d site		Mor	ıth
Metal	t	df	P	t	df	P	t	df	P
Cr	0.72	40	0.476	10.21	41	< 0.0001	10.31	41	< 0.0001
Fe	2.35	40	0.024	10.54	41	< 0.0001	10.61	41	< 0.0001
Hg	1.99	40	0.053	12.59	41	< 0.0001	12.35	41	< 0.0001
Mn	1.81	40	0.078	11.96	41	< 0.0001	11.81	41	< 0.0001
Zn	1007.6	40	< 0.0001	5.81	41	< 0.0001	3.36	41	0.002

Table 4. One-way ANOVA analysis between the different selected site and month samplings of the observed water heavy metal rates

Metal	Se	lected	site		Month				
Metai	F	df	P	F	df	P			
Cr	2.46	5	0.056	90.42	6	< 0.0001			
Fe	2.49	5	0.054	2.46	6	0.048			
Hg	0.99	0.99 5		8.03	6	< 0.0001			
Mn	3.42	5	0.015	1.07	6	0.402			
Zn	1.59	5	0.195	0.86	6	0.533			

of One-way analysis of variance (ANOVA) did not show any significant differences between the Fe values of the sites and months (P=0.054 and P=0.048) Table 4.

The water Hg values observed higher than the EPA normal levels in the June indicating water contamination to Hg in the June of the all site samplings (shown in bold in the Tables 1 and 2) whereas observed lower than the EPA normal levels²⁰ in the other sites and months. The lowest and the highest water Hg contamination values observed in the HH and SW₁, respectively both in the June (Tables 1 and 2, and Figure 1). The results of one-sample t-test revealed a significant differences between the Hg values of the sites and months with the EPA normal levels (P<0.0001) Table 3. Also The results of one-way analysis of variance (ANOVA) did not show any significant differences between the Hg values of the sites (P=0.441) Table 4, whereas showed a significant differences between the Hg values of the months (P<0.0001) Table 4 which is observed a significant differences between the Hg values of the June with the other months (P<0.05) followed by Post Hoc tests (Tukey HSD) and did not show any significant differences between the other months (P>0.05) Table 6.

The water Mn of the SW_1 in the March, April and June; the SW_4 in the December, March, June and September; the SW_5 in the October, March, April, June and September; and the HH in the September observed higher than the

EPA normal levels indicating water contamination to Mn (shown in bold in the Tables 1 and 2) whereas observed lower than the EPA normal levels in the other months. The lowest and the highest water Mn contamination values observed in the SW_1 and SW_5 in the April and June, respectively (Tables 1 and 2, and Figure 1). The results of one-sample t-test showed a significant differences between the Mn values of the sites and months with the EPA normal levels²⁰ (P<0.0001) Table 3. Also the results of One-way analysis of variance (ANOVA) showed a significant differences between the Mn values of the sites (P=0.015) Table 4, whereas did not show any significant differences between the Mn values of the months (P<0.0001) Table 4.

The Zn values of the SW_5 in the October and September; and the HH in the March observed slightly lower than the EPA normal levels indicating water suspected to Zn contamination (shown in bold in the Tables 1 and 2) whereas observed lower than the EPA normal levels in the other sites and months.

The Pearson correlation analysis revealed a significant negative relationship between the water Cr values with the months (P<0.0001), whereas revealed a significant positive relationship between the water Fe and Mn values (P=0.004), and Zn values with sites (P=0.041) Table 7.

In overall, as revealed in the Tables 1 and 2, and Figure 1, the water of Shadegan and Hawr Al Azim wetlands have been contaminated by Cr, Fe, Mn, Hg and Zn. In this respect contaminating the wetland waters by these heavy metals can adversely affect on human health of their water supply; also, it supports agricultural activities by providing a source of water for irrigation and livestock and for domestic consumption, sustainable forestry, nursery areas for juveniles of commercially valuable fish species and fisheries, forage resources, craft materials and medicinal plants; it also provides habitat for birds, which can play an important role in helping to control pests on nearby farms means that there is less need for costly and polluting chemical spraying to control insect pests. Also many bird, fish, mammal, reptile, and amphibian species are dependent to the wetlands for their breeding, foraging, and covering. Some species that they cannot survive elsewhere are providing by unique habitat of the special wetland conditions. Migratory birds depend on the wetlands. The life cycle of the many endangered and threatened species occur in the wetlands. Protection of threatened and endangered species is important in standards development ¹³. However, this study showed that the water of these wetlands have been contaminated by heavy metals threatening their lives.

Tukey HSD analysis among the observed water heavy metal rates of the site samplings after One-way ANOVA significance

	Ъ	-	1	'	-	0.012	-	1	-	1	0.043
SW ₅	Std. error	-	1	,	-	0.01821	-	,	-	-	1.2052
	Mean difference	-	1	ı	-	*/990.0	ı	1	1	1	3.7562*
	Ъ	-	-	1	966.0	0.003	-	-	-	0.063	>0.999
SW_4	Std. error	-	-	1	0.01749	0.01821	-	-	-	1.1579	1.2052
	Mean difference	-	-	1	0.0086	0.0752*	-	-	-	3.41	0.3462
	Ъ	-	-	0.998	0.944	0.001	-	-	>0.999	0.029	>0.999
SW ₃	Std. error	-	-	0.01749	0.01749	0.01821	-	-	1.1579	1.1579	1.2052
	Mean difference	-	-	0.0071	0.0157	0.0824*	-	-	0.3929	3.8029*	0.0467
	Ъ	-	0.685	0.435	0.201	<0.0001	-	>0.999	>0.999	0.029	>0.999
SW_2	Std. error	-	0.01749	0.01749	0.01749	0.01821	-	1.1579	1.1579	1.1579	1.2052
	Mean difference	1	0.0257	0.0329	0.0414	0.1081*	-	<0.0001	0.3929	3.8029*	0.0467
	Р	0.921	0.996	0.944	0.734	<0.0001	>0.999	>0.999	>0.999	0.040	>0.999
SW_1	Std. error	0.01749	0.01749	0.01749	0.01749	0.01821	1.1579	1.1579	1.1579	1.1579	1.2052
	Mean difference	0.0171	0.0086	0.0157	0.0243	0.0910*	0.1614	0.1614	0.2314	3.6414*	0.1148
	Metal	SW_2	SW ₃	SW_4	SW ₅	НН	SW_2	SW ₃	SW_4	SW ₅	НН
	M			Ċ					Mn		

^{*}The mean difference is significant at the 0.05 level

Tukey HSD analysis among the observed water heavy metal rates of the month samplings after One-way ANOVA significance Table 6.

L			Joseph on		2	- demons			Manah			1:			Lum			11	
			October		ล์	December			Marcn			April			June			Juny	
	Metal	Mean	Std.	q	Mean	Std.	Q	Mean	Std.	Q	Mean	Std.	Ф	Mean	Std.	q	Mean	Std.	Q
		difference	error		difference	error	4	difference	error	4	difference	error	ч	difference	error		difference	error	ц
	December	0.291*	0.0198	<0.0001	1			1		1	1		1	-			1		-
	March	0.378*	0.0198	<0.0001	0.0867*	0.0189	0.0189	0.001	-	1	1	-	1	-	-	-	-	-	
ď	April	0.356*	0.0198	<0.0001	0.065*	0.0189	0.026	0.0217	0.0189	0.908	1	-	1	-	-	-	-	-	
5	June	0.396*	0.0198	<0.0001	0.105*	0.0189	<0.0001	0.0183	0.0189	0.957	0.040	0.0189	0.370	1	-	-	-	-	
	July	0.396*	0.0198	<0.0001	0.105*	0.0189	<0.0001	0.0183	0.0189	0.957	0.040	0.0189	0.370	0.00001	0.0189	>0.999	-	-	
	September	0.3043*	0.0198	<0.0001	0.0133	0.0189	0.991	0.0733*	0.0189	0.009	0.0517	0.0189	0.125	0.0917*	0.0189	0.001	0.0917*	0.0189	0.001
	December	0.00001	0.5901	>0.999	-		1	-	-	1	-		1	-	-	1	-		
	March	0.00001	0.5901	>0.999	<0.0001	0.5626	>0.999	1	-	ı	1	1	1	1	1	1	1	-	-
;	April	0.00001	0.5901	>0.999	<0.0001	0.5626	>0.999	0.00001	0.5626	>0.999	1	1	1	1	1	1	1	-	-
Нg	June	2.98*	0.5901	<0.0001	2.98*	0.5626	<0.0001	2.98*	0.5626	<0.0001	2.98*	0.5626	<0.0001	1	-	1	-	-	-
	July	0.00001	0.5901	>0.999	<0.0001	0.5626	>0.999	0.00001	0.5626	>0.999	0.00001	0.5626	>0.999	2.98*	0.5626	<0.0001	-	-	
	September 0.00001		0.5901	>0.999	<0.0001	0.5626	>0.999	0.00001	0.5626	>0.999	0.00001	0.5626	>0.999	2.98*	0.5626	<0.0001	0.00001	0.5626 >0.999	>0.999

^{*}The mean difference is significant at the 0.05 level

Table 7.	Pearson correlation analysis among the
water hea	vy metal, site and month samplings

3 5 . 3						
Metal	Fe	Hg	Mn	Zn	Site	Month
Correlation	-0.225	-0.214	-0.140	0.174	-0.214	-0.580**
Sig.	0.157	0.178	0.382	0.276	0.178	< 0.0001
N	41	41	41	41	41	41
Correlation		0.091	0.435**	0.015	0.134	0.021
Sig.	-	0.573	0.004	0.924	0.404	0.897
N		41	41	41	41	41
Correlation			0.059	-0.089	-0.205	0.149
Sig.	-	-	0.715	0.581	0.199	0.352
N			41	41	41	41
Correlation				0.141	0.243	0.134
Sig.	-	-	-	0.380	0.126	0.405
N				41	41	41
Correlation					0.320*	-0.074
Sig.	-	-	-	-	0.041	0.647
N					41	41
Correlation						0.000
Sig.	-	-	_	_	-	1.000
N						42
	Sig. N Correlation Sig.	Sig. 0.157 N 41 Correlation Sig N Correlation Sig N	Sig. 0.157 0.178 N 41 41 Correlation 0.091 Sig. - 0.573 N 41 Correlation - - Sig. - - N - - Correlation - - Sig. - - N - - Correlation - - Sig. - - N - - Correlation - - Sig. - - - - - Correlation - - Sig. - - - - -	Sig. 0.157 0.178 0.382 N 41 41 41 Correlation 0.091 0.435** Sig. - 0.573 0.004 N 41 41 Correlation 0.059 Sig. - - 0.715 N 41 Correlation - - Sig. - - - N - - - Correlation - - - N - - - Correlation - - - Sig. - - - N - - - N - - - N - - - Correlation - - - Sig. - - - N - - -	Sig. 0.157 0.178 0.382 0.276 N 41 41 41 41 Correlation 0.091 0.435** 0.015 Sig. - 0.573 0.004 0.924 N 41 41 41 Correlation 0.059 -0.089 Sig. - - 0.715 0.581 N 41 41 Correlation 0.141 0.380 0.0380 N 41 41 Correlation 0.380 0.000 Sig. - - - N 0.000 0.000 0.000 N 0.000 0.000 0.000 N 0.000 0.000 0.000 N 0.000 0.000 0.000 0.000 N 0.000 0.000 0.000 0.000 0.000 N 0.000 0.000 0.000 0.000 0.000 0.	Sig. 0.157 0.178 0.382 0.276 0.178 N 41 41 41 41 41 Correlation 0.091 0.435** 0.015 0.134 Sig. - 0.573 0.004 0.924 0.404 N 41 41 41 41 Correlation 0.059 -0.089 -0.205 Sig. - - 0.715 0.581 0.199 N 41 41 41 41 Correlation 0.141 0.243 Sig. - - - 0.380 0.126 N 41 41 41 Correlation 0.320* 0.041 N 41 N - - - 0.041 N - - - - - Correlation - - - - - - N - -

^{**}Correlation is significant at the 0.01 level (2-tailed).

Heavy metals in Shadegan and Hawr Al Hawizeh wetlands may come from natural as well as artificial sources. Heavy metals that are naturally introduced into these wetlands may come generally from weathering of rocks, erosion of soils and water-soluble salt dissolution. Naturally heavy metals introducing into aquatic environments independently of human activities usually have not detrimental effects. However, as Shadegan and Hawr Al Hawizeh wetlands are industrializing, the heavy metals introducing by human activities affect their water quality. Although some heavy metals may be vital for proper living organism metabolism but it is toxic at their high levels, others currently may be as non-essential but it is toxic even at relatively low levels. Heavy metals are released to Shadegan and Hawr Al Hawizeh wetlands are from numerous sources. Typical sources are municipal wastewater, manufacturing industries, mining, and agricultural cultivation and fertilization. They have increased their pollution leading to the deaths of its marine animals contaminated by heavy metals.

Although, these wetland waters have been contaminated by Cr, Fe, Mn, Hg and Zn, in this study, it can be considered that to be accumulated in the waterbed sedi-

ment and bioconcentrated in the wildlife and animal tissues. These facts established by assessing some fish muscles and insect tissues that they had lived in the wetlands^{7,16,21,22} causing their high heavy metal pollution. Afterwards, their entering in the marine food chains they biomagnified there in the long periods. Then they fed by predator such as birds and fish and threatened human health through food chains by their human consuming. The heavy metals which are dissolved in the water have the greatest potential of causing the most deleterious toxic effects on organisms by their taken up. Various harmful effects including abnormal development of the fetus, procreation failure, and immunodeficiency have exhibited due to aquatic metal exposure¹².

In the current study, the values of the Cr, Fe, Mn, Hg and Zn were observed higher than the EPA water normal levels (shown as bold font style in Table 2), however Farrokhian et al.¹⁵ reported the water cadmium, lead, nickel and copper metal pollutants of the Shadegan wetland higher than the aquatic limits¹⁵. Also the values of the cadmium and lead metals in the fish muscle tissues in Hawr Al Azim wetland were determined. Results showed that some fish species were contaminated by high values of lead and cadmium²¹.

3. Conclusion

Shadegan and Hawr Al Azim wetlands have been contaminated by Cr, Fe, Mn, Hg and Zn and they can be accumulated in the fauna and flora tissues. These facts established by assessing some fish muscles and insect tissues that they had lived in the wetlands bioaccumulated with high heavy metals. Such contamination might threatened human health through food chains.

4. Acknowledgements

The authors thank Tehran University of Medical Sciences for support to carry out this research.

5. References

- A Primer on Water Quality. USGS (United States Geological Survey). U.S. Department of the Interior; FS-027-01; 2001 Mar. Available from: http://pubs.usgs.gov/fs/fs-027-01/
- Sharma S, Sharma P. Biomonitoring of aquatic ecosystem with concept and procedures particular reference to aquatic macro invertebrates. Journal of American Science. 2010; 6(12):1246–55.

^{*}Correlation is significant at the 0.05 level (2-tailed).

- 3. EPA (Environmental Protection Agency). Wetlands. 2012. Available from: http://water.epa.gov/type/wetlands/index.cfm
- Ramsar Convention Secretariat. The Ramsar convention manual: a guide to the convention on Wetlands (Ramsar, Iran, 1971). 5th edition Ramsar Convention Secretariat; Gland: Switzerland. 2011.
- EPA (Environmental Protection Agency). Importance of Wetlands. 2010. Available from: http://www.epa.gov/bioiweb1/aquatic/importance.html
- Constanza RR, D'Arge R, et al. The value of the world's ecosystem services and natural capital. Nature. 1997; 387:253–60.
- Nasirian H. Using insects for heavy metal contamination survey in Shadegan Wetland. Thesis for fulfillment of the PhD Degree in Medical Entomology and Vector Control. School of Public Health; Tehran University of Medical Sciences; 2013.
- 8. Duffus JH. Heavy metals a meaningless term? (IUPAC Technical Report). Pure and Applied Chemistry. 2002; 74(5):793–807.
- 9. Jin L. Environmental Bionomy. First ed. High Education Press; Beijing. 1992.
- 10. Fargasova A. Comparative acute toxicity of Cu, Mn, Mo, Ni, and V to Chironomus plumosus larvae and Tubilfex worms. Biologia; 1998; 53:315–9.
- 11. Annabi A, Messaoudi I, et al. Comparative study of the sensitivity to cadmium of two populations of Gambusia affinis from two different sites. Environmental Monitoring and Assessment. 2009; 155(1-4): 459–65.
- 12. Chang XX, Wen CH, et al. Effect of heavy metal pollution on human health and sustainable development. Yunnan Environmental Science. 2000; 19: 59.
- 13. EPA (Environmental Protection Agency). Office of Science and Technology. Strategy for water quality standards and criteria. Setting priorities to strengthen the foundation for

- protecting and restoring the nation's Waters; Publication EPA-823-R-03-010; 2003. Available from: http://water.epa.gov/scitech/swguidance/standards/strategy/upload/2003_08_28_standards_strategy_final.pdf
- WHO (World Health Organization). Integrated Vector Management. WHO Regional Officer for Eastern Mediterranean; Cairo: Egypt. 2004.
- 15. Farrokhian F, Savari A, et al. Chemical quality of Shadegan wetland. Journal Environmental Studies. 1997; 19:13–24.
- 16. Nasirian H, Mahvi AH, et al. Study on the heavy metal bioconcentration of the Shadegan international wetland mosquitofish, Gambusia affinis, by inductively coupled plasma technique. Journal of Environmental Health Science and Engineering. 2013; 11:22.
- 17. Mirzaei R, Conroy J, et al. Otters in the Hawr Al Azim wetland, Iran. Hystrix, Italian Journal of Mammalogy. 2010; 21(1):83–8.
- Nasirian H. Evaluation of water quality and organic pollution of Shadegan and Hawr Al Azim wetlands by biological indices using insects. Journal of Entomology and Zoology Studies. 2014; 2(5):193–200.
- Nasirian H, Nasirian Z, et al. Use of inductively coupled plasma-mass spectrometry, ICP-MS, in entomology. International Journal of Entomological Research. 2014; 2(2): 47–57.
- 20. EPA (Environmental Protection Agency). Water: drinking water contaminants. 2012. Available from: http://water.epa.gov/drink/contaminants/index.cfm
- 21. Fatemi SMR, Hamidi Z. Determination of cadmium and lead levels in muscle tissue of some edible fishes in Hour-Al-Azim wetland. Journal of Fisheries. 2010; 4(1):1–7.
- 22. Nasirian H, Vazirianzadeh B, et al. Culiseta subochrea as a bioindicator of metal contamination in Shadegan international wetland, Iran (Diptera: Culicidae). Journal of Insect Science. 2014; 14:258.